Frog Pond Overlook 12-Lot Subdivision Frog Pond West

DRB Panel A Public Hearing
September 12, 2022
Presented by: Georgia McAlister, Associate Planner





Location






Background







Noticing






List of Applications for DB22-0002

- Recommendation to City Council
 - Annexation (ANNX22-0001)
 - Zone Map Amendment (ZONE22-0002)
- Verifying Compliance with Clear & Objective Standards:
 - Stage 1 Preliminary Plan (STG122-0002)
 - Stage 2 Final Plan (STG222-0002)
 - Site Design Review of Parks and Open Space (SDR22-0002)
 - Tentative Subdivision Plat (SUBD22-0001)
 - Type C Tree Removal Plan (TPLN22-0001)
 - Abbreviated SROZ Map Verification (SROZ22-0004)
- Discretionary Review
 - No applications




Annexation

- TLID 0700
- Portion of SW
 Frog Pond Lane
 ROW
- 4.92 acres




Zone Map Amendment

- TLID 0700
- 4.07 acres
- RRFF-5 to RN



Stage 1 Preliminary Plan






Stage 1 Preliminary Plan

Subdistrict and Land Use Designation	Gross Site Area (ac)	Percent of Sub- district	Established lot range for Sub-district	Lot Range for Site	Proposed Lots	Total lots within Sub-district - Approved and Proposed
8 – R-10	4.07	20.70%	43-53	11-Sep	12	25 Approved 12 Proposed 37 Total




Stage 2 Final Plan






Site Design Review






Site Design Review






Tentative Subdivision Plat






Type C Tree Removal Plan

- Inventoried: 150 onsite trees, 4 off-site tree
- Retain: 43 on-site trees, 4 off-site tree
- Remove: 107 onsite trees




Type C Tree Removal Plan

- Plant 48 new trees:
 - 27 street trees
 - 21 trees along Boeckman
 Creek Trail and adjacent to private open space in Tract
 A
- Payment to City Tree Fund for 59 trees (\$17,700)



SROZ Map Verification



Legend OFF-SITE PRIMARY AND SECONDARY PROTECTED WATER FEATURES SIGNIFICANT RESOURCE IMPACT AREA TO REMAIN (566 SF) OFFSITE RIPARIAN IMPACT AREA TO REMAIN OFFSITE AREA OF LIMITED CONFLICTING USE TO REMAIN EXISTING CONIFEROUS TREE >6" TO REMAIN - TYP. EXISTING DECIDUOUS TREE >6" TO BE REMOVED - TYP.

EXISTING DECIDUOUS TREE >6" TO BE REMOVED - TYP.

Discretionary Review

No discretionary review requests



Discussion

