

#### IS-22 August 2004

#### Are You Ready?

An In-depth Guide to Citizen Preparedness





### Preface

more accurate technical language, and the latest physical research on what happens available at the time of publication, including advances in scientific knowledge, in disasters based on the most reliable hazard awareness and emergency education information This guide has been prepared for direct dissemination to the general public and is

in buildings, infrastructure, or other environmental features that might be of interhave been included. est. To help you explore your interest further, additional sources of information This publication is, however, too brief to cover every factor, situation, or difference

included is information on how to assemble a disaster supplies kit that contains as a reference source or as a step-by-step manual. The focus of the content is on protect themselves and their families against all types of hazards. It can be used resources. families to survive following a disaster in the event they must rely on their own the food, water, and other supplies in sufficient quantity for individuals and their done before, during, and after a disaster to protect people and their property. Also how to develop, practice, and maintain emergency plans that reflect what must be The guide has been designed to help the citizens of this nation learn how to

possible terrorism attack involving biological, chemical, or radiological weapons on how the public can be ready in case of a national emergency – including a America be better prepared for even unlikely emergency scenarios. Information hazards. The Department of Homeland Security's Ready Campaign seeks to help www.ready.gov, or by calling 1-800-BE-READY for printed information. provides the citizens of this nation to help them be prepared against all types of Are You Ready? is just one of many resources the Department of Homeland Security can be found by logging on to the Department of Homeland Security's web site,

#### CERT

roads. Following a disaster, community members may be on their own for a period of time because of the size of the area affected, lost communications, and impassable

volunteers at the disaster site, to provide immediate assistance to victims, and to sponse capability by training volunteers to organize themselves and spontaneous collect disaster intelligence to support responders' efforts when they arrive. The Community Emergency Response Team (CERT) program supports local re-

help themselves, their loved ones, and their neighbors until help arrives. In the classroom, participants learn about the hazards they face and ways to prepare for them. CERT members are taught basic organizational skills that they can use to

preparedness efforts. activities and volunteering for projects that support their community's disaster pants are encouraged to continue their involvement by participating in training organization, and disaster psychology. Upon completion of the training, participreparedness, fire safety, disaster medical operations, light search and rescue, team munity. Training consists of 20 hours of instruction on topics that include disaster Local government, or one of its representatives, sponsor CERT training in the com-

contact your local Citizen Corps Council. For additional information on CERT, visit training.fema.gov/EMIWeb/CERT or

### **Citizen Corps**

in a range of measures to make their families, their homes, and their communities every American can do their part to be better prepared and better protected and to safer from the threats of crime, terrorism, public health issues, and disasters of all Citizen Corps provides opportunities for people across the country to participate help their communities do the same. kinds. Through public education, training opportunities, and volunteer programs.

support their community's emergency services and to safeguard themselves and and other community stakeholders. These Citizen Corps Councils will organize gency management, volunteer organizations, local elected officials, the private sector, together leaders from law enforcement, fire, emergency medical and other emertheir property. volunteer programs to give people of all ages and backgrounds the opportunity to public education on disaster mitigation and preparedness, citizen training, and Citizen Corps is managed at the local level by Citizen Corps Councils, which bring

borhood and your community a safer place to live. To find out more, please visit By participating in Citizen Corps programs, you can make your home, your neighthe Citizen Corps Web site, www.citizencorps.gov or visit www.fema.gov

as other activities through Citizen Corps affiliate programs that share the common unteers in Police Service), FEMA (Community Emergency Response Teams - CERT), grams administered by the Department of Justice (Neighborhood Watch and Vol-Activities under Citizen Corps include existing and new federally sponsored progoal of community and family safety. and Department of Health and Human Services (Medical Reserve Corps), as well

# **Certificate of Completion**

asking for the Independent Study Office or writing to: directed to the FEMA Independent Study Program by calling 1-800-238-2258 and tion can expect to receive a certificate of completion within two weeks from the nation, log on to training.fema.gov/emiweb/ishome.htm and follow the links for date the examination is received at FEMA. Questions about this option should be Are You Ready? An In-depth Guide to Citizen Preparedness IS-22. Those who pass the examinaguide and score at least 75 percent on a final examination. To take the final exami-As an option, credit can be provided to those who successfully complete the entire

FEMA Independent Study Program Emergency Management Institute 16825 South Seton Avenue Emmitsburg, MD 21727

### **Facilitator Guide**

developed a Facilitator Guide with an accompanying CD-ROM for use with this Are ter should strike. As a tool to aid those who want to deliver such training, FEMA school children, community organizations, scouts, social groups, and many others. You Ready? guide. The materials are appropriate for use in training groups such as from knowing you have helped your fellow citizens be ready in the event a disas-Teaching others about disaster preparedness is a rewarding experience that results

to reinforce what is being presented. To obtain a copy of the Facilitator Guide and als that reflect key information and handouts that can be printed and distributed Are You Ready? guide. The CD-ROM contains teaching aids such as electronic visuaudiences, generic lesson plans for teaching disaster preparedness, and information on how to obtain other resources that can be used to augment the material in the The Facilitator Guide includes guidelines on how to deliver training to various writing to: CD-ROM, call the FEMA Distribution Center at (800) 480-2520 or request it by

Federal Emergency Management Agency P.O. Box 2012 Jessup, MD 20794-2012

### Table of Contents

Family Communications Plan
R. Dieseter Sunnliee Checklist
ndix A: Water Conservation Tins
< Percevering from
4.6 Radiological Dispersion Device (RDD)1
Section 4.5 Nuclear Blast163
Section 4.4 Chemical Threats159
Section 4.3 Biological Threats155
Section 4.2 Explosions151
Section 4.1 General Information about Terrorism147
Part 4 Terrorism
Section 3.3 Nuclear Power Plants139
Section 3.2 Household Chemical Emergencies133
Section 3.1 Hazardous Materials Incidents129
Part 3 Technological Hazards127
Section 2.12 Wildfires123
Section 2.11 Fires
Section 2.10 Tsunamis111
Section 2.9 Landslides and Debris Flow (Mudslide)105
Section 2.8 Volcanoes101
Section 2.7 Earthquakes93
Section 2.6 Extreme Heat85
Section 2.5 Winter Storms and Extreme Cold79
Section 2.4 Thunderstorms and Lightning73
Section 2.3 Hurricanes
Section 2.2 Tornadoes57
Section 2.1 Floods
Part 2 Natural Hazards47
Section 1.6 Practicing and Maintaining Your Plan45
Section 1.5 Hazard-Specific Preparedness43
Section 1.4 Shelter
Section 1.3 Assemble a Disaster Supplies Kit
Section 1.2 Emergency Planning and Checklists
Section 1.1 Getting Informed15
Part 1 Basic Preparedness13
Why Prepare
Preface

### Why Prepare

# There are real benefits to being prepared.

- . evacuate their homes and take refuge in public shelters and know how to care of a fire and where to seek shelter during a tornado. They should be ready to Being prepared can reduce fear, anxiety, and losses that accompany disasters. for their basic medical needs. Communities, families, and individuals should know what to do in the event
- . home or moving a home out of harm's way, and securing items that could People also can reduce the impact of disasters (flood proofing, elevating a shake loose in an earthquake) and sometimes avoid the danger completely.

### The need to prepare is real.

- Disasters disrupt hundreds of thousands of lives every year. Each disaster has lasting effects, both to people and property.
- . responders may not be able to reach you immediately, or they may need to focus organizations will try to help you, but you need to be ready as well. Local If a disaster occurs in your community, local government and disaster-relief their efforts elsewhere.
- . occur in your area—hurricanes, earthquakes, extreme cold, flooding, or You should know how to respond to severe weather or any disaster that could terrorism.
- mean providing for your own shelter, first aid, food, water, and sanitation. You should also be ready to be self-sufficient for at least three days. This may

# Using this guide makes preparation practical

- to, and recover from disasters emergencies. It contains step-by-step advice on how to prepare for, respond This guide was developed by the Federal Emergency Management Agency ters and for helping state and local governments and individuals prepare for (FEMA), which is the agency responsible for responding to national disas-
- management offices and the American Red Cross, Are You Ready? will give you Used in conjunction with information and instructions from local emergency what you need to be prepared.

### **Using Are** You Ready? to Prepare

are taking the necessary steps to be ready when an event occurs. event of an emergency. Through applying what you have learned in this guide, you The main reason to use this guide is to help protect yourself and your family in the

after an event. Some examples of what you can do follow: ity to protect yourself and your family by knowing what to do before, during, and the citizen, forming the base of the structure. At this level, you have a responsibilards. Think of the national emergency management system as a pyramid with you, that is all about protection-protecting people and property from all types of haz-Every citizen in this country is part of a national emergency management system

Know the risks and danger signs.
 Purchase insurance including for

Citizen

- Purchase insurance, including flood insurance, which is not part of your homeowner's policy.
- Develop plans for what to do.
- Assemble a disaster supplies kit.
- Volunteer to help others.
- During
- Put your plan into action
- Help others.
- Follow the advice and guidance of officials in charge of the event.
- After
- Repair damaged property.Take steps to prevent or reduce future loss.

through this guide. You will learn more about these and other actions you should take as you progress

something does occur. Most emergencies are handled at the local level, which in preventing emergencies from happening and in being prepared to respond if and volunteers from the private and public sectors. These individuals are engaged The local level is the second tier of the pyramid, and is made up of paid employees puts a tremendous responsibility on the community for taking care of its citizens It is sometimes necessary to turn to others within the local community for help. Among the responsibilities faced by local officials are:

- Identifying hazards and assessing potential risk to the community
- grams. Enforcing building codes, zoning ordinances, and land-use management pro-
- Coordinating emergency plans to ensure a quick and effective response

•

- Fighting fires and responding to hazardous materials incidents.
- Establishing warning systems.
- Stocking emergency supplies and equipment.
- Assessing damage and identifying needs.



- Evacuating the community to safer locations
- Taking care of the injured.
- Sheltering those who cannot remain in their homes
- Aiding recovery efforts.

tunity to train and exercise together. in agreement, the state may offer a program that provides jurisdictions the opporgap between what is needed and what is available at the local level. The state also supplemental resources such as money, equipment, and personnel to close the community can request assistance from the state. The state may be able to provide or conflict with each other. To ensure personnel know what to do and efforts are coordinates the plans of the various jurisdictions so that activities do not interfere If support and resources are needed beyond what the local level can provide, the

to augment state and local efforts. These resources can be in the form of: At the top of the pyramid is the federal government, which can provide resources

- the public for protecting itself from hazards. Public educational materials, such as this guide, that can be used to prepare
- Financial grants for equipment, training, exercises, personnel, and programs
- . state and local capabilities. so severe that the President of the United States has deemed them beyond Grants and loans to help communities respond to and recover from disasters
- Research findings that can help reduce losses from disaster.
- Technical assistance to help build stronger programs.


the citizen, and your ability to follow good emergency management practicesactive participation at all levels of the pyramid. The whole system begins with you, whether at home, work, or other locations. The national emergency management system is built on shared responsibilities and

the process. Begin by reading Part 1 which is the core of the guide. This part maintain an emergency plan and disaster supplies kit. provides basic information that is common to all hazards on how to create and Are You Ready? An In-depth Guide to Citizen Preparedness is organized to help you through

### Part 1: Basic Preparedness

- the community and others that will impact your plan. evacuation routes to be used in times of disaster, and the emergency plans of A series of worksheets to help you obtain information from the community hazards that threaten the community, how the population will be warned, that will form the foundation of your plan. You will need to find out about
- insure against financial loss, acquire basic safety skills, address special needs cate with one another during times of disaster, shut-off household utilities, Guidance on specific content that you and your family will need to develop and include in your plan on how to escape from your residence, communisuch as disabilities, take care of animals, and seek shelter







• Checklists of items to consider including in your disaster supplies kit that will meet your family's needs following a disaster whether you are at home or at other locations.

fully and integrated in your emergency plan and disaster supplies kit based on the Part 1 is also the gateway to the specific hazards and recovery information conhazards that pose a threat to you and your family. tained in Parts 2, 3, 4, and 5. Information from these sections should be read care-

### Part 2: Natural Hazards

- Floods
- Hurricanes
- Thunderstorms and lightning
- Tornadoes
- Winter storms and extreme cold
- Extreme heat
- Earthquakes
   Volcanoes
- Landslides and debris flow
- Tsunamis
- Fires
- Wildfires

### Part 3: Technological Hazards

- Hazardous materials incidents
- Household chemical emergencies
- Nuclear power plant emergencies

### Part 4: Terrorism

- Explosions
- Biological threats
- Chemical threats
- Nuclear blasts
- Radiological dispersion device events

### Part 5: Recovering from Disaster

- Health and safety guidelines
- Returning home
- Seeking disaster assistance
- Coping with disaster
- Helping others

٠

### References

discussed. reminders to refer to previous sections for related information on the topic being As you work through individual sections, you will see reference points. These are

FEMA Distribution Center at 1-800-480-2520 or request them by mail from: you learn more about the topics covered. To obtain these publications, call the Throughout the guide are lists of publications available from FEMA that can help

**FEMA Publications** 

Federal Emergency Management Agency P.O. Box 2012 Jessup, MD 20794-2012

organizations below: Other publications cited throughout this guide can be obtained by contacting the

Other Publications

American Red Cross National Headquarters 2025 E Street, NW Washington, DC 20006 Phone: (202) 303-4498

www.redcross.org/pubs/dspubs/cde.html

National Weather Service 1325 East West Highway Silver Spring, MD 20910 www.nws.noaa.gov/education.html

Centers for Disease Control and Prevention 1600 Clifton Rd, Atlanta, GA 30333, U.S.A Public Inquiries: (404) 639-3534 / (800) 311-3435 www.cdc.gov

U.S. Geological Survey Information Services P.O. Box 25286 Denver, CO 80225 1 (888) 275-8747 www.usgs.gov

### Disaster Public Education Web sites

You can broaden your knowledge of disaster preparedness topics presented in this guide by reviewing information provided at various government and non-government Web sites. Provided below is a list of recommended sites. The Web address page result in the most current and extensive list of available material for the site. for each site reflects its home address. Searches conducted from each home site's


www.disaster-info.net/SUMA	The Pan American Health Organization
www.meieisforum.net	The Middle East Seismological Forum
www.osha-safety-training.net	National Safety Compliance
www.nmfi.org	National Mass Fatalities Institute
www.nfpa.org	National Fire Protection Association
www.ibhs.org	Institute for Business and Home Safety
www.redcross.org	American Red Cross
	Non-government Sites
www.wildfireprograms.com	USDA Forest Service Southern Research Station
www.usps.gov	U.S. Postal Service
www.opm.gov/emergency	U.S. Office of Personnel Management
www.usgs.gov	U.S. Geological Survey
www.usfa.fema.gov/kids	U.S. Fire Administration Kids Page
www.usfa.fema.gov	U.S. Fire Administration
www.usda.gov	U.S. Department of Agriculture
www.whitehouse.gov/response	The White House
www.ciao.gov	The Critical Infrastructure Assurance Office
www.nrc.gov	Nuclear Regulatory Commission
www.nws.noaa.gov	National Weather Service
www.noaa.gov	National Oceanic and Atmospheric Administration
www.fda.gov	Food and Drug Administration
www.fema.gov	Federal Emergency Management Agency
www.epa.gov	Environmental Protection Agency
www.justice.gov	Department of Justice
www.doi.gov	Department of Interior
www.dhs.gov	Department of Homeland Security
www.hhs.gov/disasters	Department of Health and Human Services
www.energy.gov	Department of Energy
www.ed.gov	Department of Education
www.doc.gov	Department of Commerce
www.citizencorps.gov	Citizen Corps
www.cdc.gov	Centers for Disease Control and Prevention
www.atsdr.cdc.gov	Agency for Toxic Substances and Disease Registry
www.ready.gov	Be Ready Campaign
	Government Sites

### Preparedne M

and are able to apply your plan to all types of hazards. In this part of the guide, you will learn preparedness strategies that are common to all disasters. You plan only once,

When you complete Part 1, you will be able to:

- Get informed about hazards and emergencies that may affect you and your
- family.Develop an emergency plan.
- Collect and assemble disaster supplies kit.
- Learn where to seek shelter from all types of hazards.
- Identify the community warning systems and evacuation routes.
- Include in your plan required information from community and school plans.
- Learn what to do for specific hazards.
- Practice and maintain your plan.



### **Getting Informed** 1.1

your answers. local chapter of the American Red Cross. Space has been provided here to record obtain this information from your local emergency management office or your these hazards, and your community's plans for warning and evacuation. You can Learn about the hazards that may strike your community, the risks you face from

### Hazards


family's risk. sheet that follows to record your findings and suggestions for reducing your Ask local authorities about each possible hazard or emergency and use the work-

Possible Hazards and ( Emergencies	Risk Level (None, Low, Moderate, or High)	How can I reduce my risk?
Natural Hazards	-	
1. Floods		
2. Hurricanes		
3. Thunderstorms and Lightning		
4. Tornadoes		
5. Winter Storms and Extreme Cold		
6. Extreme Heat		
7. Earthquakes		
8. Volcanoes		
9. Landslides and Debris Flow		
10. Tsunamis		
11. Fires		
12. Wildfires		



5. Radiological Dispersion Device (RDD)	4. Nuclear Blasts	3. Chemical Threats	2. Biological Threats	1. Explosions	Terrorism	2. Nuclear Power Plants	1. Hazardous Materials Incidents	Technological Hazards	

guide. ard maps have been included with each natural hazard in Part 2 of this You also can consult FEMA for hazard maps for your area. Go to www.fema.gov, select maps, and follow the directions. National haz-



# Warning Systems and Signals

stations participate in the EAS. tice in case of a grave threat or national emergency. Ask if your local radio and TV The Emergency Alert System (EAS) can address the entire nation on very short no-

where you live. If so, consider purchasing a NOAA weather radio receiver. NOAA weather radio receivers. Determine if NOAA Weather Radio is available tion directly from a nearby National Weather Service office to specially configured a nationwide network of radio stations broadcasting continuous weather informa-National Oceanic & Atmospheric Administration (NOAA) Weather Radio (NWR) is

Ask local authorities about methods used to warn your community.

Warning System	What should we do?
EAS	
NOAA Weather Radio	

tion to the public through the media. In some circumstances, other warning and you need to leave your home, school, or workplace to avoid these situations. be circumstances under which you and your family feel threatened or endangered methods, such as sirens or telephone calls, also are used. Additionally, there may When community evacuations become necessary, local officials provide informa-

a day or two to get ready. However, many disasters allow no time for people to gather even the most basic necessities, which is why planning ahead is essential a weather condition, such as a hurricane that can be monitored, you might have The amount of time you have to leave will depend on the hazard. If the event is


# **Evacuation: More Common than You Realize**

substances, forcing thousands of people to leave their homes. Fires and hurricanes. along the Gulf and Atlantic coasts evacuate in the face of approaching floods cause evacuations even more frequently. Almost every year, people times each year, transportation and industrial accidents release harmful Evacuations are more common than many people realize. Hundreds of



Ask local authorities about emergency evacuation routes.

Record your specific evacuation route directions in the space provided.



### **Evacuation Guidelines**

Always:	If time permits:
Keep a full tank of gas in your car if an evacuation seems likely. Gas stations may be closed during emergencies and unable to pump gas during power outages. Plan to take one car per family to reduce congestion and delay.	Gather your disaster supplies kit.
Make transportation arrangements with friends or your local government if you do	Wear sturdy shoes and clothing that provides some protection,
not own a car.	such as long pants, long-sleeved shirts, and a cap.
Listen to a battery-powered radio and follow local evacuation instructions.	<ul><li>Secure your home:</li><li>Close and lock doors and</li></ul>
	<ul> <li>windows.</li> <li>Unplug electrical equipment, such as radios and televi- sions, and small appliances, such as toasters and micro- waves. Leave freezers and re- frigerators plugged in unless there is a risk of flooding.</li> </ul>
Gather your family and go if you are in- structed to evacuate immediately.	Let others know where you are going.
Leave early enough to avoid being trapped by severe weather.	
Follow recommended evacuation routes. Do not take shortcuts; they may be blocked.	
Be alert for washed-out roads and bridges. Do not drive into flooded areas.	
Stay away from downed power lines.	



### **Community** and Other Plans

emergency plans. Ask local officials the following questions about your community's disaster,

0 1 1			
Does my community have a plan?	Yes	No	
Can I obtain a copy?	Yes	No	
What does the plan contain?			
How often is it updated?			
What should I know about the plan?			
What hazards does it cover?			

know what plans are in place for your workplace and your children's school or day In addition to finding out about your community's plan, it is important that you care center.

- Ask your employer about workplace policies regarding disasters and emerwarning information gencies, including understanding how you will be provided emergency and
- 2 Contact your children's school or day care center to discuss their disaster procedures

### School E mergency Plans

Know your children's school emergency plan:

- Ask how the school will communicate with families during a crisis
- Ask if the school stores adequate food, water, and other basic supplies.
- Find out if the school is prepared to shelter-in-place if need be, and where they plan to go if they must get away.

school, the doors will likely be locked to keep your children safe. Monitor local permitted to drive to the school to pick up your children. Even if you go to the In cases where schools institute procedures to shelter-in-place, you may not be and follow the directions of local emergency officials. media outlets for announcements about changes in school openings and closings,

please log on to the U.S. Department of Education at www.ed.gov/emergencyplan. For more information on developing emergency preparedness plans for schools,

### Workplace Plans

that is regularly practiced. If you are an employer, make sure your workplace has a building evacuation plan

- to determine if it is secure or if it could feasibly be upgraded to better filter Take a critical look at your heating, ventilation and air conditioning system ō potential contaminants, and be sure you know how to turn it off if you need
- Think about what to do if your employees can't go home.
- Make sure you have appropriate supplies on hand.



# 1.2 and Checklists

Are You Ready?

plan should address the following: family members are not home when a warning is issued. Additionally, your family information you obtained in Section 1.1 (hazards, warning systems, evacuation plan. You can begin this process by gathering family members and reviewing the pared to respond to emergencies, prepare your family by creating a family disaster Now that you've learned about what can happen and how your community is preroutes and community and other plans). Discuss with them what you would do if

- Escape routes.
- Family communications
- Utility shut-off and safety.
- Insurance and vital records.
- Caring for animals. Special needs.
- Saftey Skills

sections. Information on these family planning considerations are covered in the following

#### Escape Routes

Post a copy of the drawings at eye level in each child's room. two escape routes from each room. Make sure children understand the drawings. Draw a floor plan of your home. Use a blank sheet of paper for each floor. Mark

#### Where to Meet

locations below: Establish a place to meet in the event of an emergency, such as a fire. Record the

	Where to meet
Near the home	For example, the next door neighbor's telephone pole
Outside the immediate area	For example, the neighborhood grocery store parking lot

# Family Communications

tact one another. Think about how you will communicate in different situations. Your family may not be together when disaster strikes, so plan how you will con-

household members to notify they are safe. cards handy in a wallet, purse, backpack, etc. You may want to send one to school Complete a contact card for each family member. Have family members keep these with each child to keep on file. Pick a friend or relative who lives out-of-state for

ily members. A copy should also be included in your family disaster supplies kit. Also in Appendix C is a more detailed Family Communications Plan which should Below is a sample contact card. Copies to fill out can be found in Appendix C be completed and posted so the contact information is readily accessible to all fam-

Initial content of the second seco
---

# Utility Shut-off and Safety

In the event of a disaster, you may be instructed to shut off the utility service at your home.

Below is some general guidance for shutting off utility service:

Modify the information provided to reflect your shut off requirements as directed by your utility company(ies).

natural gas.	following disasters. It is vital that all household members know how to shut off	Natural and loaks and simplesions are more suble for a similar straight of func	

Natural Gas

tion and response regarding gas appliances and gas service to your home. rations, it is important to contact your local gas company for guidance on prepara-Because there are different gas shut-off procedures for different gas meter configu-

when practicing the proper gas shut-off procedure. tion with everyone in your household. Be sure not to actually turn off the gas When you learn the proper shut-off procedure for your meter, share the informa-

the gas company from a neighbor's home. one out quickly. Turn off the gas, using the outside main valve if you can, and call If you smell gas or hear a blowing or hissing noise, open a window and get every-



**CAUTION** – If you turn off the gas for any reason, a qualified professional must turn it back on. NEVER attempt to turn the gas back on yourself.

Water

all household members learn how to shut off the water at the main house valve. Water quickly becomes a precious resource following many disasters. It is vital that

- Cracked lines may pollute the water supply to your house. off your water until you hear from authorities that it is safe for drinking It is wise to shut
- . difficult to turn and requires a special tool). tanks unless you trap it in your house by shutting off the main house valve The effects of gravity may drain the water in your hot water heater and toilet (not the street valve in the cement box at the curb--this valve is extremely



### Preparing to Shut Off Water

- look like this: Locate the shut-off valve for the water line that enters your house. It may
- Make sure this valve can be completely shut off. Your valve may be rusted open, or it may only partially close. Replace it if necessary,

Label this valve with a tag for easy identification, and make sure all household members know where it is located.

.

tricity. to teach all responsible household members where and how to shut off the elec-Electrical sparks have the potential of igniting natural gas if it is leaking. It is wise

### Preparing to Shut Off Electricity

- Locate your electricity circuit box
- the entire house. Teach all responsible household members how to shut off the electricity to





# **nsurance and Vital Records**

place is what is required for you and your family for all possible hazards. ing policies for the amount and extent of coverage to ensure that what you have in Obtain property, health, and life insurance if you do not have them. Review exist-

#### Flood Insurance

cover the value of a building and its contents will not only provide ance to reduce your risk of flood loss. Buying flood insurance to You can call 1(888)FLOOD29 to learn more about flood insurance greater peace of mind, but will speed the recovery if a flood occurs. If you live in a flood-prone area, consider purchasing flood insur-

Inventory Home Possessions	
	Make a record of your personal property, for insurance purposes. Lake photos or a video of the interior and exterior of your home. Include personal belongings in your inventory.
	You may also want to download the free Household and Personal Property Inven- tory Book from the University of Illinois at www.ag.uiuc.edu/~vista/abstracts/ ahouseinv.html to help you record your possessions.
Important Documents	Store important documents such as insurance policies, deeds, property records, and other important papers in a safe place, such as a safety deposit box away from your home. Make copies of important documents for your disaster supplies kit. (Information about the disaster supplies kit is covered later.)
Money	Consider saving money in an emergency savings account that could be used in any crisis. It is advisable to keep a small amount of cash or traveler's checks at home in
	If you or someone close to you has a disability or a special need, you may have to
	take additional steps to protect yourself and your family in an emergency.

Disability/Special Need	Additional Steps
Hearing impaired	May need to make special arrangements to receive warnings.
Mobility impaired	May need special assistance to get to a shelter.
Single working parent	May need help to plan for disasters and emergencies.
Non-English speaking persons	May need assistance planning for and responding to emergencies. Community and cultural groups may be able to help keep people informed.
People without vehicles	May need to make arrangements for transportation.
People with special dietary needs	Should take special precautions to have an adequate emergency food supply.

### **Planning for Special Needs** If you have special needs:

٠ Register with the office of emergency services or the local fire department for assistance so needed help can be provided. Find out about special assistance that may be available in your community.

- ts 1.2
- operate necessary equipment. in an emergency. Discuss your needs and make sure everyone knows how to Create a network of neighbors, relatives, friends, and coworkers to aid you
- Discuss your needs with your employer.

.

- ٠ escape chair. If you are mobility impaired and live or work in a high-rise building, have an
- exits clearly and to make arrangements to help you leave the building If you live in an apartment building, ask the management to mark accessible
- might need. catheters, medication, food for service animals, and any other items you Keep specialized items ready, including extra wheelchair batteries, oxygen.
- . Be sure to make provisions for medications that require refrigeration
- . Keep a list of the type and model numbers of the medical devices you require.

# **Caring for Animals**

for caring for pets and large animals. Animals also are affected by disasters. Use the guidelines below to prepare a plan

Plan for pet disaster needs by:

**Guidelines for Pets** 

- Identifying shelter.
- Gathering pet supplies.
- Ensuring your pet has proper ID and up-to-date veterinarian records.
- Providing a pet carrier and leash

Take the following steps to prepare to shelter your pet:

- . trol office to get advice and information. Call your local emergency management office, animal shelter, or animal con-
- Keep veterinary records to prove vaccinations are current.
- . Find out which local hotels and motels allow pets and where pet boarding local facilities close. facilities are located. Be sure to research some outside your local area in case
- ٠ mitted in emergency shelters as they may affect the health and safety of other Know that, with the exception of service animals, pets are not typically peroccupants.

1.2
Emergency Planning and Checklists
Are You R



## ssemble a Disaster Supplies Kit H ω

days. cannot reach everyone immediately. You could get help in hours, or it might take days. Local officials and relief workers will be on the scene after a disaster, but they own food, water, and other supplies in sufficient quantity to last for at least three You may need to survive on your own after a disaster. This means having your

portunity to shop or search for the supplies you need. moment's notice and take essentials with you. You probably will not have the opbe cut off for days, or even a week or longer. Or, you may have to evacuate at a Basic services such as electricity, gas, water, sewage treatment, and telephones may

may need in the event of a disaster. A disaster supplies kit is a collection of basic items that members of a household

#### X ocations

supplies for home, work, and vehicles. Since you do not know where you will be when an emergency occurs, prepare

1		
Home	Work	Car
Your disaster supplies	This kit should be in	In case you are strand-
kit should contain	one container, and	ed, keep a kit of emer-
essential food, water,	ready to "grab and go"	gency supplies in your
and supplies for at least	in case you are evacu-	car.
three days.	ated from your work-	
	place.	This kit should contain
Keep this kit in a desig-		food, water, first aid
nated place and have it	Make sure you have	supplies, flares, jumper
ready in case you have	food and water in the	cables, and seasonal
to leave your home	kit. Also, be sure to	supplies.
quickly. Make sure all	have comfortable walk-	
family members know	ing shoes at your work-	
where the kit is kept.	place in case an evacu-	
	ation requires walking	
Additionally, you may	long distances.	
want to consider having		
supplies for sheltering		
for up to two weeks.		
	A STREET	



person needs at least one-half gallon of water daily just for drinking You should store at least one gallon of water per person per day. A normally active How Much Water do I Need?

Basic Preparedness

Additionally, in determining adequate quantities, take the following into account:

- climate Individual needs vary, depending on age, physical condition, activity, diet, and
- Children, nursing mothers, and ill people need more water.
- Very hot temperatures can double the amount of water needed
- A medical emergency might require additional water.

tainer and do not open it until you need to use it. you purchase commercially bottled water. Keep bottled water in its original con-To prepare safest and most reliable emergency supply of water, it is recommended

How Should I Store Water?

Observe the expiration or "use by" date.

If you are preparing your own

It is recommended you purchase food-grade water storage containers from surcontainers of water

pletely so there is no residual soap. Follow directions below on filling the container thoroughly clean the containers with dishwashing soap and water, and rinse complus or camping supplies stores to use for water storage. Before filling with water, with water.

drink bottles – not plastic jugs or cardboard containers that have had milk or fruit If you choose to use your own storage containers, choose two-liter plastic soft break and are heavy. long-term storage of liquids. Also, do not use glass containers, because they can is stored in them. Cardboard containers also leak easily and are not designed for these containers and provide an environment for bacterial growth when water juice in them. Milk protein and fruit sugars cannot be adequately removed from

If storing water in plastic soda bottles, follow these steps

pletely so there is no residual soap. Thoroughly clean the bottles with dishwashing soap and water, and rinse com-

Sanitize the bottles by adding a solution of 1 teaspoon of non-scented liquid the sanitizing solution with clean water. bottle so that it touches all surfaces. After sanitizing the bottle, thoroughly rinse out household chlorine bleach to a quart of water. Swish the sanitizing solution in the

household chlorine bleach to the water. else to the water to keep it clean. If the water you are using comes from a well or cially treated from a water utility with chlorine, you do not need to add anything Fill the bottle to the top with regular tap water. If the tap water has been commerwater source that is not treated with chlorine, add two drops of non-scented liquid

container so that you know when you filled it. Store in a cool, dark place. cap by touching the inside of it with your finger. Place a date on the outside of the Tightly close the container using the original cap. Be careful not to contaminate the

Replace the water every six months if not using commercially bottled water.

#### Food

The following are things to consider when putting together your food supplies:

- cereals, and canned foods with high liquid content. Avoid foods that will make you thirsty. Choose salt-free crackers, whole grain
- these on hand. tion, cooking, water, or special preparation. You may already have many of Stock canned foods, dry mixes, and other staples that do not require refrigera-Note: Be sure to include a manual can opener.
- Include special dietary needs.



# **Basic Disaster Supplies Kit**

kit: The following items are recommended for inclusion in your basic disaster supplies

- Three-day supply of non-perishable food.
- Three-day supply of water one gallon of water per person, per day
- Portable, battery-powered radio or television and extra batteries.
- Flashlight and extra batteries.
- First aid kit and manual.
- Sanitation and hygiene items (moist towelettes and toilet paper).
- Matches and waterproof container.
- Whistle.
- Extra clothing.
- Kitchen accessories and cooking utensils, including a can opener.
- Photocopies of credit and identification cards.
- Cash and coins.
- solutions, and hearing aid batteries. Special needs items, such as prescription medications, eye glasses, contact lens
- Items for infants, such as formula, diapers, bottles, and pacifiers
- Other items to meet your unique family needs.

If you live in a cold climate, you must think about warmth. include one complete change of clothing and shoes per person, including: will not have heat. Think about your clothing and bedding supplies. Be sure to It is possible that you


- Jacket or coat.
- Long pants.
- Long sleeve shirt.
- Sturdy shoes.
- Hat, mittens, and scarf.
- Sleeping bag or warm blanket (per person).

Be sure to account for growing children and other family changes. See Appendix B tamily. listed to your basic disaster supplies kit depending on the specific needs of your for a detailed checklist of disaster supplies. You may want to add some of the items

### Maintaining Your Disaster Supplies Kit

good condition: safe to use when needed. Here are some tips to keep your supplies ready and in Just as important as putting your supplies together is maintaining them so they are

- Keep canned foods in a dry place where the temperature is cool.
- Store boxed food in tightly closed plastic or metal containers to protect from pests and to extend its shelf life.
- . Throw out any canned good that becomes swollen, dented, or corroded.
- Use foods before they go bad, and replace them with fresh supplies.
- Place new items at the back of the storage area and older ones in the front.
- Change stored food and water supplies every six months. Be sure to write the date you store it on all containers.
- ٠ change. Re-think your needs every year and update your kit as your family needs
- ٠ backpack, or duffel bag. one or two easy-to-carry containers, such as an unused trashcan, camping Keep items in airtight plastic bags and put your entire disaster supplies kit in





1.4

area would include staying with friends and relatives, seeking commercial lodging tions require that you seek protection in your home, place of employment, or with local authorities. or staying in a mass care facility operated by disaster relief groups in conjunction other location where you are when disaster strikes. Sheltering outside the hazard Taking shelter is critical in times of disaster. Sheltering is appropriate when condi-

if the hazards warrants this type of protection. in your home or other building that is safe for that hazard. For example, for a hazard sections. These discussions include recommendations for sealing the shelter safest locations to seek shelter vary by hazard, sheltering is discussed in the various the lowest level away from corners, windows, doors and outside walls. Because the tornado, a room should be selected that is in a basement or an interior room on To effectively shelter, you must first consider the hazard and then choose a place

are forbidden in emergency shelters and smoking is restricted ers and others assisting them. Keep in mind that alcoholic beverages and weapons will have the supplies you require. Mass care sheltering can involve living with Even though mass care shelters often provide water, food, medicine, and basic saniconflicts in this stressful situation, it is important to cooperate with shelter manage many people in a confined space, which can be difficult and unpleasant. To avoid tary facilities, you should plan to take your disaster supplies kit with you so you

take turns listening to radio broadcasts and maintain a 24-hour safety watch. stay in shelter until local authorities say it is safe to leave. tornado warning, or long, such as during a winter storm. It is important that you The length of time you are required to shelter may be short, such as during a Additionally, you should

supplies to ensure you and your family have the required supplies and quantities. During extended periods of sheltering, you will need to manage water and food Guidance on how to accomplish this follows.



## Managing Water

#### Essentials

1. Allow people to drink according to their needs. Many people need even needed depends on age, physical activity, physical condition, and time of year. more than the average of one-half gallon, per day. The individual amount



- 2 Never ration water unless ordered to do so by authorities. Drink the activity and staying cool. day. You can minimize the amount of water your body needs by reducing stances should a person drink less than one quart (four cups) of water each amount you need today and try to find more for tomorrow. Under no circum-
- ω possible, put off drinking suspicious water as long as possible, but do not cious water, such as cloudy water from regular faucets or water from streams Drink water that you know is not contaminated first. If necessary, suspior ponds, can be used after it has been treated. If water treatment is not become dehydrated.
- 4 Do not drink carbonated beverages instead of drinking water. Carbonated alcohol dehydrate the body, which increases the need for drinking water. beverages do not meet drinking-water requirements. Caffeinated drinks and
- Ś incoming water source, locate the incoming valve and turn it to the closed already in your home from contamination if you hear reports of broken Turn off the main water valves. You will need to protect the water sources important procedure. position. Be sure you and other family members know how to perform this water or sewage lines, or if local officials advise you of a problem. To close the
- trickle out. Then obtain water from the lowest faucet in the home. the faucet in your home at the highest level. A small amount of water will To use the water in your pipes, let air into the plumbing by turning on
- the gas is turned off, a professional will be needed to turn it back on. water faucet. Refill the tank before turning the gas or electricity back on. If by turning off the water intake valve at the tank and turning on the hotoff, and open the drain at the bottom of the tank. Start the water flowing To use the water in your hot-water tank, be sure the electricity or gas is

Safe Sources	Unsafe Sources
Melted ice cubes	Radiators
Water drained from the water heater (if the water heater has not been damaged)	Hot water boilers (home heating system)
Liquids from canned goods such as fruit or vegetable juices	Water beds (fungicides added to the water or chemicals in the vinyl may make water unsafe to use)
Water drained from pipes	Water from the toilet bowl or flush tank
	Swimming pools and spas (chemicals used to kill germs are too concentrated for safe drinking but can be used for personal hygiene, cleaning, and related uses)

#### Review

Basic Preparedness

Section 1.2: Emergency Planning and Checklists

#### Water Treatment

How I Should Store

Water, Section 1.3

a bad odor and taste, contaminated water can contain microorganisms (germs) that cause diseases such as dysentery, cholera, typhoid, and hepatitis. preparation, washing dishes, brushing teeth, or making ice. In addition to having Treat all water of uncertain quality before using it for drinking, food washing or

bottom or strain them through coffee filters or layers of clean cloth. combination of methods. Before treating, let any suspended particles settle to the There are many ways to treat water. None is perfect. Often the best solution is a

sen water treatment method Make sure you have the necessary materials in your disaster supplies kit for the cho-

There are three water treatment methods. They are as follows:

- Boiling
- Chlorination
- Distillation

ation, when no other reliable clean water source is available, or you have used all of your stored water. These instructions are for treating water of uncertain quality in an emergency situ-

#### Boiling

rate. Let the water cool before drinking. to a rolling boil for 1 full minute, keeping in mind that some water will evapo-Boiling is the safest method of treating water. In a large pot or kettle, bring water

stored water. Boiled water will taste better if you put oxygen back into it by pouring the water back and forth between two clean containers. This also will improve the taste of

#### Chlorination

opened or unopened bottle. Do not use scented bleaches, color safe bleaches, or bleaches with added cleaners. household liquid bleach that contains 5.25 to 6.0 percent sodium hypochlorite. You can use household liquid bleach to kill microorganisms. Use only regular Because the potency of bleach diminishes with time, use bleach from a newly


discard it and find another source of water. the dosage and let stand another 15 minutes. If it still does not smell of chlorine 30 minutes. The water should have a slight bleach odor. If it doesn't, then repeat Add 16 drops (1/8 teaspoon) of bleach per gallon of water, stir, and let stand for

only active ingredient, are not recommended and should not be used. surplus stores that do not contain 5.25 to 6.0 percent sodium hypochlorite as the Other chemicals, such as iodine or water treatment products sold in camping or

#### Distillation

metals, salts, and most other chemicals. lation will remove microbes (germs) that resist these methods, as well as heavy While the two methods described above will kill most microbes in water, distil-





Distillation involves boiling water and then collecting only the vapor that condenses. The condensed vapor will not include salt or most other impurities. To distill, fill a pot halfway with water. Tie a cup to the handle on the pot's lid so that the cup will hang right-side-up when the lid is upside-down (make sure the cup is not dangling into the water) and boil the water for 20 minutes. The water that drips from the lid into the cup is distilled.

#### Effectiveness of Water Treatment Methods

~	~	Distillation
	~	Chlorination
	~	Boiling
Removes other contaminants (heavy met- als, salts, and most other chemicals)	Kills Microbes	Methods

# **Managing Food Supplies**

Do:		Don't:	"t:
•	Keep food in covered containers	•	Eat foods from cans that are swol-
•	Keep cooking and eating utensils		len, dented, or corroded, even
	clean		though the product may look safe
•	Keep garbage in closed contain-		to eat
	ers and dispose outside, burying	•	Eat any food that looks or smells
	garbage if necessary		abnormal, even if the can looks
•	Keep your hands clean by wash-		normal
	ing them frequently with soap	•	Use powdered formulas with
	and water that has been boiled or		treated water
	disinfected	•	Let garbage accumulate inside,
•	Use only pre-prepared canned		both for fire and sanitation rea-
	baby formula for infants		SONS
•	Discard any food that has come		
	into contact with contaminated		
	floodwater		
•	Discard any food that has been at		
	room temperature for two hours		
	or more		
•	Discard any food that has an un-		


throw it out." **Note:** Thawed food usually can be eaten if it is still "refrigerator cold." It can be re-frozen if it still contains ice crystals. To be safe, remember, "When in doubt,

usual odor, color, or texture

#### Safety and Sanitation



<ul> <li>Look for alternate storage space for your perishable food</li> </ul>	Managing without Power Here are two options for keeping food safe if you are without power for a long period:	3. Open the can before heating.	2. Thoroughly wash and disinfect the can. (Use a diluted solution of one part bleach to ten parts water.)	1. Remove the label.	<ul> <li>To heat food in a can:</li> </ul>	• Commercially canned food may be eaten out of the can without warming.	Charcoal grills and camp stoves are for outdoor use only.	• Alternative cooking sources in times of emergency include candle warmers, chafing dishes, fondue pots, or a fireplace.	
or vour perishable food.	l safe if you are without power for a long		ct the can. (Use a diluted solution of one p			be eaten out of the can without warming.	re for outdoor use only.	mes of emergency include candle warmers, fireplace.	




# Hazard-Specific Preparedness

unique to each hazard. For example: There are actions that should be taken before, during, and after an event that are

- Seeking a safe shelter during a tornado.
- Reducing property loss from a hurricane.

your family disaster plan. mation with family members and include pertinent material from these parts in as the ones that have happened or could happen. Share the hazard-specific infor-2, 3, and 4. Study the material for those hazards that you identified in Section 1.1 Information about the specific hazards and what to do for each is provided in Parts





## Practicing and Maintaining Your Plan 1.6

1.6
Practicing and Maintaining Your Plan
Are You Ready?

3

earthquakes. Test fire alarms. Replace and update disaster supplies. numbers, and safety rules. Conduct drills such as drop, cover, and hold on for ample, ask questions to make sure your family remembers meeting places, phone Once you have developed your plan, you need to practice and maintain it. For ex-

## For More Information

	If you require more information about any of these topics, the following are resources that may be helpful.
FEMA Publications	Disaster Preparedness Coloring Book. FEMA-243. Coloring book for ages 3-10. Also avail- able in Spanish.
	Before Disaster Strikes. FEMA A-291. Contains information about how to make sure you are financially prepared to deal with a natural disaster. Also available in Spanish.
	The Adventures of Julia and Robbie: Disaster Twins. FEMA-344. A collection of disaster related stories. Includes information on preparedness and how to mitigate against disasters.
	FEMA for Kids. L-229. Provides information about what FEMA (specifically fema.gov) has to offer children.
	Community Shelter. FEMA 361. Contains guidelines for constructing mass shelters for public refuge in schools, hospitals, and other places.
	Food and Water in an Emergency. L-210 If an earthquake, hurricane, winter storm, or other disaster strikes your community, you might not have access to food, water, and electricity for days, or even weeks. By taking some time now to store emer- gency food and water supplies, you can provide for your entire family. Also avail- able online at www.fema.gov/pdf/library/f&web.pdf.
	Helping Children Cope with Disaster. FEMA L-196. Helps families understand how to help children cope with disaster and its aftermath.
	Assisting People with Disabilities in a Disaster. Information about helping people with disabilities in a disaster and resources for individuals with disabilities. Available online at www.fema.gov/rrr/assistf.shtm.
American Red Cross Publications	Facing Fear: Helping Young People Deal with Terrorism and Tragic Events. A school curriculum

actual threats to safety. Available online at www.redcross.org/disaster/masters/ designed to help alleviate worries and clear up confusion about perceived and facingfear, or contact your local Red Cross chapter.

## **Hazards**

geographical locations because they are related to weather patterns or physical characteristics of an area. Part 2 includes information about many types of natural hazards. Natural hazards are natural events that threaten lives, property, and other assets. Often, natural hazards can be predicted. They tend to occur repeatedly in the same


Natural hazards such as flood, fire, earthquake, tornado, and windstorms affect thousands of people every year. We need to know what our risks are from natrual hazards and take sensible precautions to protect ourselves, our families, and our communities.

hazard, measures that can be taken beforehand to avoid or lessen the impact of these events, and what individuals saster plan. Specific content on each hazard consists of the characteristics of that hazard, terms associated with the Use Part 2 to learn about the hazards that pose a risk to you. Include the pertinent information in your family dineed to do during and after the event to protect themselves.

When you complete Part 2, you will be able to:

- Know important terms.
- Take protective measures for natural hazards.
- Identify resources for more information about natural hazards.

•








river basins and multiple states. be local, impacting a neighborhood or community, or very large, affecting entire Floods are one of the most common hazards in the United States. Flood effects can

also occur when a dam breaks, producing effects similar to flash floods. stream, such as when a levee is breached, but still can be destructive. Flooding can away most things in its path. Overland flooding occurs outside a defined river or ous wall of roaring water that carries rocks, mud, and other debris and can sweep minutes and without any visible signs of rain. Flash floods often have a dangera period of days. But flash floods can develop quickly, sometimes in just a few However, all floods are not alike. Some floods develop slowly, sometimes over

in dry weather can flood. Every state is at risk from this hazard. low-lying area, near water or downstream from a dam. Even very small streams, Be aware of flood hazards no matter where you live, but especially if you live in a gullies, creeks, culverts, dry streambeds, or low-lying ground that appear harmless







## What Would You Do?

of preparation is no longer necessary based on what your neighbors have told you. government about flood insurance and the need to protect yourself from flood dry weather. You continue to see public service announcements from the federal According to them, the biggest threat they face is lack of water caused by the very earthquake insurance policy, just in case something happened. You think this kind ways kept some extra food, water, and other supplies on hand and maintained an a suburb of Phoenix, AZ. Since earthquakes were a threat in your area, you alits bare hills, deep canyons, and dry land. damage. Surely, there would be no need for flood insurance where you live with You and your family moved from a city neighborhood in San Francisco, CA, to

Are you at risk for flooding, or is this more of a risk to people who live else-

Yes	where?
No	]

- Is there a need to have a disaster plan and a disaster supplies kit?
- Should you consider purchasing flood insurance?

•

Answer key 1.Yes 2.Yes 3.Yes

#### Know the Terms

Familiarize yourself with these terms to help identify a flood hazard:

#### Flood Watch

Flooding is possible. Tune in to NOAA Weather Radio, commercial radio, or television for information.

#### Flash Flood Watch

Flash flooding is possible. Be prepared to move to higher ground; listen to NOAA Weather Radio, commercial radio, or television for information.

#### Flood Warning

Flooding is occurring or will occur soon; if advised to evacuate, do so immediately.

#### Flash Flood Warning

A flash flood is occurring; seek higher ground on foot immediately.



### ake Protective Measures

#### Before a Flood

To prepare for a flood, you should:

- Avoid building in a floodplain unless you elevate and reinforce your home.
- Elevate the furnace, water heater, and electric panel if susceptible to flooding
- into the drains of your home. Install "check valves" in sewer traps to prevent flood water from backing up
- ing the building. Construct barriers (levees, beams, floodwalls) to stop floodwater from enter-
- . Seal walls in basements with waterproofing compounds to avoid seepage.

#### **During a Flood**

If a flood is likely in your area, you should

- Listen to the radio or television for information.
- move. Be aware that flash flooding can occur. If there is any possibility of a flash flood, move immediately to higher ground. Do not wait for instructions to
- typical warnings as rain clouds or heavy rain. flood suddenly. Flash floods can occur in these areas with or without such Be aware of streams, drainage channels, canyons, and other areas known to

If you must prepare to evacuate, you should do the following:

- . Secure your home. If you have time, bring in outdoor furniture. Move essential items to an upper floor.
- standing in water. nect electrical appliances. Do not touch electrical equipment if you are wet or Turn off utilities at the main switches or valves if instructed to do so. Discon-

Getting Informed See Section 1.1:

Review







If you have to leave your home, remember these evacuation tips:

- Do not walk through moving water. Six inches of moving water can make Use a stick to check the firmness of the ground in front of you. you fall. If you have to walk in water, walk where the water is not moving.
- . don the car and move to higher ground if you can do so safely. You and the Do not drive into flooded areas. If floodwaters rise around your car, abanvehicle can be quickly swept away.

#### **Driving: Flood Facts**

conditions: The following are important points to remember when driving in flood

- Six inches of water will reach the bottom of most passenger cars causing loss of control and possible stalling.
- A foot of water will float many vehicles.
- Two feet of rushing water can carry away most vehicles including sport utility vehicles (SUV's) and pick-ups.



Natural Hazar<u>ds</u>

After a Flood

The following are guidelines for the period following a flood:

- to drink. Listen for news reports to learn whether the community's water supply is safe
- . age. Water may also be electrically charged from underground or downed Avoid floodwaters; water may be contaminated by oil, gasoline, or raw sewpower lines.
- Avoid moving water.
- ٠ and could collapse under the weight of a car. Be aware of areas where floodwaters have receded. Roads may have weakened
- ٠ Stay away from downed power lines, and report them to the power company,
- Return home only when authorities indicate it is safe
- Stay out of any building if it is surrounded by floodwaters
- particularly in foundations. Use extreme caution when entering buildings; there may be hidden damage,
- possible. Damaged sewage systems are serious health hazards. Service damaged septic tanks, cesspools, pits, and leaching systems as soon as
- ٠ Clean and disinfect everything that got wet. Mud left from floodwater can contain sewage and chemicals.



## Additional Information

#### Flood Insurance

Consider the following facts:

- Flood losses are not covered under homeowners' insurance policies
- FEMA manages the National Flood Insurance Program, which makes federenforce floodplain management ordinances to reduce future flood damage. ally-backed flood insurance available in communities that agree to adopt and
- Flood insurance is available in most communities through insurance agents.
- . don't delay. There is a 30-day waiting period before flood insurance goes into effect, so
- flood-prone area. Flood insurance is available whether the building is in or out of the identified

### Knowledge Check

Decide whether the following statements are true or false. Check the appropriate column. When you have finished, check your answers using the answer key below.

- F Statement
- 1. Flood emergencies occur in only 12 states.
- 2. A "flood watch" announcement on the radio indicates that flooding is possible.
- 3. Flash floods may occur with little warning
- 4. Flood risk varies from one region to another.
- Ś National flood insurance is available only for buildings within an identified flood-prone area.

000000

- 6 It is safe to walk through floodwater if you can see the ground under it.
- $^{\succ}$ It takes at least 3 feet of floodwater to make a motorized vehicle float.
- $\infty$ After flood waters recede from a roadway, the road could still be dangerous
- 9 To prepare for a flood emergency, you should have a NOAA Weather Radio as well as

ىم

commercial radio.



## For More Information

If you require more information about any of these topics, the following are resources that may be helpful.

- ness, safety, and recovery from a flood. After a Flood: The First Steps. L-198. Information for homeowners on prepared-
- . Homeowner's Guide to Retrofitting: Six Ways to Protect Your House from Flooding. L-235. flooding. brochure about obtaining information about how to protect your home from ⊳
- A detailed manual on how to protect your home from flooding Homeowner's Guide to Retrofitting: Six Ways to Protect Your House from Flooding. FEMA-312
- About the Flood: Elevating Your Floodprone House. FEMA-347. This publication is intended for builders, code officials and homeowners
- Protecting Building Utilities From Flood Damage. FEMA-348. This publication is homeowners. intended for developers, architects, engineers, builders, code officials and

#### American Red Cross

chapters can order in packages of 10 as stock number A4477 for a nominal which professionals to involve for various needed services. Local Red Cross Repairing Your Flooded Home. sixty-page booklet about how to perform simple fee. Also available online at www.redcross.org/services/disaster/0,1082,0 home repairs after flooding, including cleaning, sanitation, and determining 570\_,00.html


### **National Weather Service**

- www.nws.noaa.gov/om/brochures/InlandFlooding.pdf impact of hurricane flooding and precautions to take. Available online at Hurricane Flooding: A Deadly Inland Danger. 20052. Brochure describing the
- . hazards of driving your vehicle in flood conditions. Available online at www.nws.noaa.gov/om/brochures/TheHiddenDangerEnglish.pdf The Hidden Danger: Low Water Crossing. 96074E. Brochure describing the




#### **Other Publications**

FEMA Publications





at some risk from this hazard. Damage paths can be in excess of one mile wide and 50 miles long. Every state is derstorm to the ground with whirling winds that can reach 300 miles per hour. A tornado appears as a rotating, funnel-shaped cloud that extends from a thunstorms, tornadoes can cause fatalities and devastate a neighborhood in seconds. Tornadoes are nature's most violent storms. Spawned from powerful thunder-



warning is possible. scure others. Occasionally, tornadoes develop so rapidly that little, if any, advance Some tornadoes are clearly visible, while rain or nearby low-hanging clouds ob-

ible. Tornadoes generally occur near the trailing edge of a thunderstorm. It is not A cloud of debris can mark the location of a tornado even if a funnel is not vis-Before a tornado hits, the wind may die down and the air may become very still. uncommon to see clear, sunlit skies behind a tornado.



The following are facts about tornadoes:

- They may strike quickly, with little or no warning.
- cloud forms in the funnel. They may appear nearly transparent until dust and debris are picked up or a
- . known to move in any direction. The average tornado moves Southwest to Northeast, but tornadoes have been
- The average forward speed of a tornado is 30 MPH, but may vary from stationary to 70 MPH.
- ٠ land. Tornadoes can accompany tropical storms and hurricanes as they move onto
- Waterspouts are tornadoes that form over water.
- ٠ spring and summer months. Tornadoes are most frequently reported east of the Rocky Mountains during
- northern states, it is late spring through early summer. Peak tornado season in the southern states is March through May; in the
- at any time. Tornadoes are most likely to occur between 3 p.m. and 9 p.m., but can occur

#### Know the Terms

Familiarize yourself with these terms to help identify a tornado hazard:

#### Tornado Watch

sion for information. sky and stay tuned to NOAA Weather Radio, commercial radio, or televi-Tornadoes are possible. Remain alert for approaching storms. Watch the

#### **Tornado Warning**

immediately. A tornado has been sighted or indicated by weather radar. Take shelter

# Take Protective Measures

Be alert to changing weather conditions.

- ٠ Listen to NOAA Weather Radio or to commercial radio or television newscasts for the latest information.
- Look for approaching storms.

2.2

Look for the following danger signs:

٠

- Dark, often greenish sky
- Large hail
- A large, dark, low-lying cloud (particularly if rotating)
- Loud roar, similar to a freight train.

ter immediately. If you see approaching storms or any of the danger signs, be prepared to take shel-

#### **During a Tornado**

If you are under a tornado WARNING, seek shelter immediately!

If you are in:	Then:
A structure (e.g. residence, small building, school, nursing home, hospital, factory, shopping center, high-rise building)	Go to a pre-designated shelter area such as a safe room, basement, storm cellar, or the lowest building level.
	If there is no basement, go to the center of an interior room on the lowest level (closet, interior hallway) away from corners, windows, doors, and outside
	corners, windows, doors, and outside walls. Put as many walls as possible between you and the outside. Get under a sturdy table and use your arms to protect your head and neck
	Do not open windows.
A vehicle, trailer, or mobile home	Get out immediately and go to the lowest floor of a sturdy, nearby building or a
	storm shelter. Mobile homes, even if tied down, offer little protection from
	tornadoes.
The outside with no shelter	• Lie flat in a nearby ditch or depression and cover your head with your hands.
	<ul> <li>Do not get under an overpass or bridge. You are safer in a low, flat location.</li> </ul>
	• Never try to outrun a tornado in
	urban or congested areas in a car or truck. Instead, leave the vehicle
	immediately for safe shelter.
	<ul> <li>Watch out for flying debris. Flying debris from tornadoes causes most</li> </ul>
	fatalities and injuries.



#### Preparing a Safe Room

hurricanes. The purpose of a safe room or a wind shelter is to provide a space ings and their occupants. Your residence may be built "to code," but that does not mean it can withstand winds from extreme events such as tornadoes and major Extreme windstorms in many parts of the country pose a serious threat to build-You can build a safe room in one of several places in your home: where you and your family can seek refuge that provides a high level of protection

- Your basement.
- Atop a concrete slab-on-grade foundation or garage floor.
- An interior room on the first floor.

room built in a first-floor interior room also can provide the necessary protection. the heavy rains that often accompany severe windstorms. Below-ground safe rooms must be designed to avoid accumulating water during Safe rooms built below ground level provide the greatest protection, but a safe

flying debris, even if the rest of the residence is severely damaged or destroyed. To protect its occupants, a safe room must be built to withstand high winds and Consider the following when building a safe room:

- The safe room must be adequately anchored to resist overturning and uplift.
- resist penetration by windborne objects and falling debris. The walls, ceiling, and door of the shelter must withstand wind pressure and
- resist the wind. The connections between all parts of the safe room must be strong enough to
- damage to the residence will not cause damage to the safe room the safe room, must be separated from the structure of the residence so that Sections of either interior or exterior residence walls that are used as walls of



# Additional information about Safe Rooms available from FEMA

withstand tornado, hurricane, and other high winds ing details about obtaining information about how to build a wind-safe room to Taking Shelter from the Storm: Building a Safe Room Inside Your House. L-233. Brochure provid-

hurricane, and other high winds detailed information about how to build a wind-safe room to withstand tornado, Taking Shelter from the Storm: Building a Safe Room Inside Your House. FEMA-320. Manual with




2.2

Are You Ready?


#### Locate the Safest Place

On the following home layout diagrams, locate the safest place to seek shelter should you not be able to evacuate.

Apartment



One-Story Home



62


Are You Ready?

Tornadoes

2.2

**First Floor** 

Two-Story Home



Natural Hazards

Answer key

Apartment: Bathroom, One-Story Home:WIC (walk in Closet), Two-Story Home: First floor bathroom



#### After a Tornado

Follow the instructions for recovering from a disaster in Part 5.




## For More Information

resources that may be helpful. If you require more information about any of these topics, the following are

# **FEMA Publications** Tornado Fact Sheet. L-148. Provides safety tips for before, during, and after a tornado

refuge areas in existing schools help building administrators, architects, and engineers select the best available Tornado Protection-Selecting Refuge Areas in Buildings. FEMA 431. Intended primarily to



thunderstorms, and in the Northern Hemisphere, a counterclockwise circulation of system that generally forms in the tropics. A typical cyclone is accompanied by A hurricane is a type of tropical cyclone, the generic term for a low pressure winds near the earth's surface.

rains and floods each year from hurricanes spawned off Mexico. The Atlantic hurto late October. ricane season lasts from June to November, with the peak season from mid-August storms. Parts of the Southwest United States and the Pacific Coast experience heavy All Atlantic and Gulf of Mexico coastal areas are subject to hurricanes or tropical

also spawn tornadoes and microbursts, create storm surges along the coast, and inland. Winds can exceed 155 miles per hour. Hurricanes and tropical storms can Hurricanes can cause catastrophic damage to coastlines and several hundred miles cause extensive damage from heavy rainfall.


ly dangerous and warrant your full attention. are considered major hurricanes, though Categories One and Two are still extremepressure, and damage potential (see chart). Category Three and higher hurricanes Hurricanes are classified into five categories based on their wind speed, central

	Saffir	Saffir-Simpson Hurricane Scale	
Scale Number (Category)	Sustained Winds (MPH)	Damage	Storm Surge
1	74-95	<b>Minimal:</b> Unanchored mobile homes, vegetation, and signs	4-5 feet
2	96-110	<b>Moderate:</b> All mobile homes, roofs, small craft; flooding	6-8 feet
3	111-130	<b>Extensive:</b> Small buildings; low-lying roads cut off	9-12 feet
4	131-155	<b>Extreme:</b> Roofs destroyed, trees down, roads cut off, mobile homes destroyed, beach homes flooded	13-18 feet
У	More than 155	<b>Catastrophic:</b> Most buildings destroyed, vegetation destroyed, major roads cut off, homes flooded	Greater than 18 feet

intense rainfall. Flooding on rivers and streams may persist for several days or more or mud slides, especially in mountainous regions. Flash flooding can occur due to regions tend to produce especially heavy rain. Excessive rain can trigger landslides structive result. Slow moving storms and tropical storms moving into mountainous Hurricanes can produce widespread torrential rains. Floods are the deadly and deafter the storm.



hazard related to tropical cyclones. flooding associated with land falling tropical cyclones than from any other weather Between 1970 and 1999, more people lost their lives from freshwater inland



#### Naming the Hurricane

were alternated. Six lists are used in rotation. Thus, the 2001 lists will be used again in 2007. Organization. The lists featured only women's names until 1979. After that, men's and women's names Center and now maintained and updated by an international committee of the World Meteorological Since 1953, Atlantic tropical storms have been named from lists originated by the National Hurricane

The only time there is a change in the list is if a storm is so deadly or costly that the continued use of the name would be inappropriate for reasons of sensitivity. When this occurs, the name is stricken from the list and another name is selected to replace it.

lists can be found at www.nhc.noaa.gov under "Storm Names." Sometimes names are changed. Lorenzo replaced Luis and Michelle replaced Marilyn. The complete

#### Know the Terms

Familiarize yourself with these terms to help identify a hurricane hazard:

#### **Tropical Depression**

about 33 ft (10 meters) above the surface. Sustained winds are defined as one-minute average wind measured at circulation and maximum sustained winds of 38 MPH (33 knots) or less. An organized system of clouds and thunderstorms with a defined surface

#### **Tropical Storm**

culation and maximum sustained winds of 39-73 MPH (34-63 knots). An organized system of strong thunderstorms with a defined surface cir-

#### Hurricane

defined surface circulation and maximum sustained winds of 74 MPH An intense tropical weather system of strong thunderstorms with a well-(64 knots) or higher.

#### Storm Surge

Storm surges can reach 25 feet high and be 50-100 miles wide. A dome of water pushed onshore by hurricane and tropical storm winds.

#### Storm Tide

surge combined with a 2-foot normal high tide over the mean sea level A combination of storm surge and the normal tide (i.e., a 15-foot storm creates a 17-foot storm tide).

### Hurricane/Tropical Storm Watch

radio, or television for information. usually within 36 hours. Tune in to NOAA Weather Radio, commercial Hurricane/tropical storm conditions are possible in the specified area,

### Hurricane/Tropical Storm Warning

usually within 24 hours. Hurricane/tropical storm conditions are expected in the specified area,

### Short Term Watches and Warnings

These warnings provide detailed information about specific hurricane threats, such as flash floods and tornadoes.



### lake Protective Measures

To prepare for a hurricane, you should take the following measures:

- dows from breaking. protection for windows. A second option is to board up windows with 5/8" Make plans to secure your property. Permanent storm shutters offer the best marine plywood, cut to fit and ready to install. Tape does not prevent win-
- . ture. Install straps or additional clips to securely fasten your roof to the frame struc-This will reduce roof damage.
- . Be sure trees and shrubs around your home are well trimmed
- Clear loose and clogged rain gutters and downspouts.
- . Determine how and where to secure your boat.
- . Consider building a safe room.



If a hurricane is likely in your area, you should:

**During a Hurricane** 

- Listen to the radio or TV for information.
- them indoors Secure your home, close storm shutters, and secure outdoor objects or bring
- mostat to its coldest setting and keep its doors closed Turn off utilities if instructed to do so. Otherwise, turn the refrigerator ther-
- . Turn off propane tanks
- . Avoid using the phone, except for serious emergencies
- . Moor your boat if time permits.
- toilets. Fill the bathtub and other large containers with water Ensure a supply of water for sanitary purposes such as cleaning and flushing

#### Before a Hurricane



Tornadoes See Section 2.2: tion on safe rooms

#### Hazards

69

2.3 2

You should evacuate under the following conditions:

- structions. If you are directed by local authorities to do so. Be sure to follow their in-
- ground. particularly hazardous during hurricanes no matter how well fastened to the If you live in a mobile home or temporary structure--such shelters are
- If you live in a high-rise buildingelevations. -hurricane winds are stronger at higher

•

- way. If you live on the coast, on a floodplain, near a river, or on an inland water-
- . If you feel you are in danger

follow these guidelines: If you are unable to evacuate, go to your wind-safe room. If you do not have one,

- Stay indoors during the hurricane and away from windows and glass doors.
- Close all interior doors--secure and brace external doors.
- the eye of the storm-Keep curtains and blinds closed. Do not be fooled if there is a lull; it could be -winds will pick up again.

Shelter

See Section 1.4: sheltering Guidelines for

Review

- Take refuge in a small interior room, closet, or hallway on the lowest level.
- Lie on the floor under a table or another sturdy object.

#### After a Hurricane

Follow the instructions for recovering from a disaster in Part 5





#### Knowledge Check

#### You Make the Call

Read the following and respond to the question below. See the answer key below to check your answer.

also will tape the windows to prevent damage to the glass. dows and doors on the storm side of the house and opening the ones on the side away from the wind. They Your neighbor said that in the event a hurricane threatens, the household would get ready by closing the win-

Is this a good idea?

77

No! All of the doors and windows should be closed (and shuttered) throughout the duration of the hurricane. The winds in a hurricane are highly turbulent and any open window or door can be an open target for flying debris. As for the tape, it is a waste of effort, time, and tape. It offers no strength to the glass and no protection against flying debris.


# For More Information

resources that may be helpful. If you require more information about any of these topics, the following are


FEMA Publications	Against the Wind: Protecting Your Home from Hurricane and Wind Damage. FEMA-247. A guide to hurricane preparedness. Available online at www.fema.gov/txt/hazards/ hurricanes/survivingthestormhurricane.txt
	Community Hurricane Preparedness. IS-324. CD-ROM or Web-based training course for federal, state, and local emergency managers. Web-based version available online at http://meted.ucar.edu/hurrican/chp/index.htm
	Safety Tips for Hurricanes. L 105. Publication for teachers and parents for presentation to children. To order, call 1(800)480-2520.

## **Other Publications**

Protect Your Home against Hurricane Damage, Institute for Business and Home Safety. 110 William Street, New York, NY 20038




## Thunderstorms and Lightning 2.4



ning often report a variety of long-term, debilitating symptoms. year by lightning. Although most lightning victims survive, people struck by light-United States, an average of 300 people are injured and 80 people are killed each All thunderstorms are dangerous. Every thunderstorm produces lightning. In the

and flash flooding. Flash flooding is responsible for more fatalities-Other associated dangers of thunderstorms include tornadoes, strong winds, hail, 140 annually-than any other thunderstorm-associated hazard. -more than

can still reach the ground and can start wildfires. prevalent in the western United States. Falling raindrops evaporate, but lightning Dry thunderstorms that do not produce rain that reaches the ground are most



2.4

The following are facts about thunderstorms:

- They may occur singly, in clusters, or in lines
- tion for an extended time. Some of the most severe occur when a single thunderstorm affects one loca-
- . Thunderstorms typically produce heavy rain for a brief period, anywhere from 30 minutes to an hour.
- Warm, humid conditions are highly favorable for thunderstorm development.
- . duces hail at least three-quarters of an inch in diameter, has winds of 58 miles About 10 percent of thunderstorms are classified as severeper hour or higher, or produces a tornado. -one that pro-

The following are facts about lightning

- Lightning's unpredictability increases the risk to individuals and property.
- . away from any rainfall. Lightning often strikes outside of heavy rain and may occur as far as 10 miles
- thunder to be heard. However, the storm may be moving in your direction! "Heat lightning" is actually lightning from a thunderstorm too far away for
- ٠ the summer months during the afternoon and evening. Most lightning deaths and injuries occur when people are caught outdoors in
- . but could be reduced even further by following safety precautions Your chances of being struck by lightning are estimated to be 1 in 600,000,
- . Lightning strike victims carry no electrical charge and should be attended to immediately.

### Know the Terms

hazard: Familiarize yourself with these terms to help identify a thunderstorm

## Severe Thunderstorm Watch

or television for information. Watch the sky and stay tuned to NOAA Weather Radio, commercial radio, Tells you when and where severe thunderstorms are likely to occur.

## Severe Thunderstorm Warning

Issued when severe weather has been reported by spotters or indicated by the path of the storm. radar. Warnings indicate imminent danger to life and property to those in

# Take Protective Measures

#### Before Thunderstorms and Lightning

To prepare for a thunderstorm, you should do the following:

- Remove dead or rotting trees and branches that could fall and cause injury or damage during a severe thunderstorm.
- Remember the 30/30 lightning safety rule: Go indoors if, after seeing lightminutes after hearing the last clap of thunder. ning, you cannot count to 30 before hearing thunder. Stay indoors for 30

### Thunderstorms

in your area: The following are guidelines for what you should do if a thunderstorm is likely

- Postpone outdoor activities.
- Get inside a home, building, or hard top automobile (not a convertible). inside a vehicle than outside. Although you may be injured if lightning strikes your car, you are much safer
- . creased protection if you are not touching metal lightning. However, the steel frame of a hard-topped vehicle provides in-Remember, rubber-soled shoes and rubber tires provide NO protection from
- Secure outdoor objects that could blow away or cause damage.
- window blinds, shades, or curtains. Shutter windows and secure outside doors. If shutters are not available, close
- . electricity. Avoid showering or bathing. Plumbing and bathroom fixtures can conduct
- are safe to use. Use a corded telephone only for emergencies. Cordless and cellular telephones
- . air conditioners. Power surges from lightning can cause serious damage. Unplug appliances and other electrical items such as computers and turn off
- ficials. Use your battery-operated NOAA Weather Radio for updates from local of-



## Avoid the following:


- Natural lightning rods such as a tall, isolated tree in an open area
- Hilltops, open fields, the beach, or a boat on the water
- Isolated sheds or other small structures in open areas Anything metal—tractors, farm equipment, motorcy-
- cles, golf carts, golf clubs, and bicycles

If you are:	Then:
In a forest	Seek shelter in a low area under a thick growth of small trees.
In an open area	Go to a low place such as a ravine or valley. Be alert for flash floods.
On open water	Get to land and find shelter immediately.
Anywhere you feel your hair stand on end (which indi- cates that lightning is about to strike)	Squat low to the ground on the balls of your feet. Place your hands over your ears and your head between your knees. Make yourself the smallest target possible and minimize your contact with the ground. DO NOT lie flat on
	contact with the ground. DO NOT lie flat on

## **During a Thunderstorm**

Natural Hazards

the ground.



Call 9-1-1 for medical assistance as soon as possible.

tim of lightning: The following are things you should check when you attempt to give aid to a vic-

- Breathing - if breathing has stopped, begin mouth-to-mouth resuscitation.
- Heartbeat if the heart has stopped, administer CPR.
- . eyesight. be alert for nervous system damage, broken bones, and loss of hearing and injuries. Check for burns where the lightning entered and left the body. Also Pulse - if the victim has a pulse and is breathing, look for other possible

## After a Thunderstorm

### Knowledge Check

Decide whether the following statements are true or false. Check the appropriate column. When you have finished, verify your answers using the answer key below.

ТF
0

 $\frac{\omega}{2}$ Dry, cold conditions favor development of a thunderstorm. wuch a person struck by lightning.

- 4 If you can count to 25 after seeing lightning and before hearing thunder, it is safe to stay outdoors.
- 5 It is safe to use a cordless telephone during a thunderstorm.

6 Rubber-soled shoes and rubber tires provide protection from lightning.



## For More Information

resource may be helpful. If you require more information about any of these topics, the following

Publications


## **National Weather Service**

www.nws.noaa.gov/om/wcm/lightning/resources/LightningFactsSheet.pdf Facts about Lightning. 200252. Two-page factsheet for boaters. Available online at

82

Answer key:

1. True 2. False 3. False 4. False 5. True 6. False



## Winter Storms and Extreme Cold N. い

roads, downed power lines and hypothermia. cold. Winter storms can result in flooding, storm surge, closed highways, blocked normally experience mild winters can be hit with a major snowstorm or extreme Heavy snowfall and extreme cold can immobilize an entire region. Even areas that

### Know the Terms

Familiarize yourself with these terms to help identify a winter storm hazard:

#### **Freezing Rain**

Rain that freezes when it hits the ground, creating a coating of ice on roads, walkways, trees, and power lines.

#### Sleet

moisture on roads to freeze and become slippery. Rain that turns to ice pellets before reaching the ground. Sleet also causes

## Winter Storm Watch

commercial radio, or television for more information. A winter storm is possible in your area. Tune in to NOAA Weather Radio,

## Winter Storm Warning

A winter storm is occurring or will soon occur in your area.

### **Blizzard Warning**

hours or longer. considerable amounts of falling or blowing snow (reducing visibility Sustained winds or frequent gusts to 35 miles per hour or greater and to less than a quarter mile) are expected to prevail for a period of three

## Frost/Freeze Warning

Below freezing temperatures are expected.

# **Take Protective Measures**


#### Before Winter Storms and Extreme Cold



Include the following in your disaster supplies kit:

- Rock salt to melt ice on walkways
- Sand to improve traction
- Snow shovels and other snow removal equipment.

wood for your fireplace or wood-burning stove. lar fuel sources may be cut off. For example, store a good supply of dry, seasoned Prepare for possible isolation in your home by having sufficient heating fuel; regu-



Natural Hazards

attics, caulking and weather-stripping doors and windows, and installing storm windows or covering windows with plastic. Winterize your home to extend the life of your fuel supply by insulating walls and

To winterize your car, attend to the following:

- clean. Battery and ignition system should be in top condition and battery terminals
- Ensure antifreeze levels are sufficient to avoid freezing
- Ensure the heater and defroster work properly.
- level. Check and repair windshield wiper equipment; ensure proper washer fluid
- Ensure the thermostat works properly.
- Check lights and flashing hazard lights for serviceability.
- necessary. Carbon monoxide is deadly and usually gives no warning Check for leaks and crimped pipes in the exhaust system; repair or replace as

- Check breaks for wear and fluid levels
- Check oil for level and weight. Heavier oils congeal more at low temperatures and do not lubricate as well.
- Consider snow tires, snow tires with studs, or chains.
- and maintaining a full tank of gas. Replace fuel and air filters. Keep water out of the system by using additives

than one layer of heavy clothing. The outer garments should be tightly woven and water repellent. Wear several layers of loose fitting, lightweight, warm clothing rather Dress for the Weather

- Wear mittens, which are warmer than gloves
- Wear a hat.
- Cover your mouth with a scarf to protect your lungs.

## **During a Winter Storm**

under conditions of extreme cold: The following are guidelines for what you should do during a winter storm or

- Listen to your radio, television, or NOAA Weather Radio for weather reports and emergency information.
- Eat regularly and drink ample fluids, but avoid caffeine and alcohol
- before going outside. attack-Avoid overexertion when shoveling snow. Overexertion can bring on a heart –a major cause of death in the winter. If you must shovel snow, stretch
- nose. If symptoms are detected, get medical help immediately. appearance in extremities such as fingers, toes, ear lobes, and the tip of the Watch for signs of frostbite. These include loss of feeling and white or pale
- cal help as soon as possible. and give warm, non-alcoholic beverages if the victim is conscious. Get medito a warm location, remove wet clothing, warm the center of the body first, parent exhaustion. If symptoms of hypothermia are detected, get the victim memory loss, disorientation, incoherence, slurred speech, drowsiness, and ap-Watch for signs of hypothermia. These include uncontrollable shivering,
- . Temporarily close off heat to some rooms. Conserve fuel, if necessary, by keeping your residence cooler than normal
- flammable objects. fumes. Refuel kerosene heaters outside and keep them at least three feet from Maintain ventilation when using kerosene heaters to avoid build-up of toxic

- . following: Drive only if it is absolutely necessary. If you must drive, consider the
- schedule Travel in the day, don't travel alone, and keep others informed of your
- Stay on main roads; avoid back road shortcuts

ı.



If a blizzard traps you in the car, keep these guidelines in mind:

- Pull off the highway. Turn on hazard lights and hang a distress flag from the radio antenna or window.
- may seem close, but be too far to walk to in deep snow. take shelter. Be careful; distances are distorted by blowing snow. A building out on foot unless you can see a building close by where you know you can Remain in your vehicle where rescuers are most likely to find you. Do not set
- snow from the exhaust pipe. will protect you from possible carbon monoxide poisoning. Periodically clear the engine is running, open an upwind window slightly for ventilation. This Run the engine and heater about 10 minutes each hour to keep warm. When
- and use your coat for a blanket. road maps, seat covers, and floor mats for insulation. Huddle with passengers Exercise to maintain body heat, but avoid overexertion. In extreme cold, use
- Take turns sleeping. One person should be awake at all times to look for rescue crews.
- Drink fluids to avoid dehydration.
- . use of lights, heat, and radio-Be careful not to waste battery power. Balance electrical energy needs--with supply. -the
- Turn on the inside light at night so work crews or rescuers can see you
- ٠ rescue personnel who may be surveying the area by airplane. out HELP or SOS and line with rocks or tree limbs to attract the attention of If stranded in a remote area, stomp large block letters in an open area spelling
- Leave the car and proceed on foot-if necessary-once the blizzard passes

⋗	
ŧ	
Ð	
b	
-	
2	
-	
⊇.	
fe	
Ś	
<b>T</b>	
0	
7	
_ ב	
_	

Follow the instructions for recovering from a disaster in Part 5.

# For More Information

If you require more information about any of these topics, the following are resources that may be helpful.


#### Publications

## National Weather Service

winter storm, and how to be prepared. Available online at: www.nws.noaa.gov/ ing winter storm facts, how to detect frostbite and hypothermia, what to do in a Winter Storms...The Deceptive Killers. Brochure packed with useful information includom/brochures/wntrstm.htm

# **Centers for Disease Control and Prevention**

able online at: www.phppo.cdc.gov indoors and outdoors in cold weather, and cold weather health conditions. Availment providing information about planning ahead for cold weather, safety both Extreme Cold: A Prevention Guide to Promote Your Personal Health and Safety. An extensive docu-




# Extreme Heat

normal temperature. humidity, evaporation is slowed and the body must work extra hard to maintain a Heat kills by pushing the human body beyond its limits. In extreme heat and high

heat. over-exercised for his or her age and physical condition. Older adults, young children, and those who are sick or overweight are more likely to succumb to extreme Most heat disorders occur because the victim has been overexposed to heat or has

at night, which can produce higher nighttime temperatures known as the "urban rural areas. Also, asphalt and concrete store heat longer and gradually release heat be at greater risk from the effects of a prolonged heat wave than those living in conditions and poor air quality. Consequently, people living in urban areas may Conditions that can induce heat-related illnesses include stagnant atmospheric heat island effect."



### Know the Terms

Familiarize yourself with these terms to help identify an extreme heat hazard:

#### Heat Wave

Prolonged period of excessive heat, often combined with excessive humidity.

#### Heat Index

can increase the heat index by 15 degrees A number in degrees Fahrenheit (F) that tells how hot it feels when relative humidity is added to the air temperature. Exposure to full sunshine

#### Heat Cramps

are the least severe, they are often the first signal that the body is having trouble with the heat. Muscular pains and spasms due to heavy exertion. Although heat cramps

### Heat Exhaustion

the skin increases, causing blood flow to decrease to the vital organs. This heat stroke. worsen. Body temperature will keep rising and the victim may suffer results in a form of mild shock. If not treated, the victim's condition will place where body fluids are lost through heavy sweating. Blood flow to Typically occurs when people exercise heavily or work in a hot, humid

#### Heat Stroke

A life-threatening condition. The victim's temperature control system, body is not cooled quickly. perature can rise so high that brain damage and death may result if the which produces sweating to cool the body, stops working. The body tem-

#### Sun Stroke

Another term for heat stroke

# **Take Protective Measures**

To prepare for extreme heat, you should:

- Install window air conditioners snugly; insulate if necessary.
- Check air-conditioning ducts for proper insulation
- . such as aluminum foil-covered cardboard, to reflect heat back outside. Install temporary window reflectors (for use between windows and drapes),
- Weather-strip doors and sills to keep cool air in.

Before Extreme Heat

- Cover windows that receive morning or afternoon sun with drapes, shades, awnings, or louvers. (Outdoor awnings or louvers can reduce the heat that enters a home by up to 80 percent.)
- Keep storm windows up all year.

#### **During a Heat Emergency** hot: The following are guidelines for what you should do if the weather is extremely • ٠ . . Stay on the lowest floor out of the sunshine if air conditioning is not available. Stay indoors as much as possible and limit exposure to the sun Avoid strenuous work during the warmest part of the day. Use a buddy sys-Check on family, friends, and neighbors who do not have air conditioning Limit intake of alcoholic beverages. should consult a doctor before increasing liquid intake. disease; are on fluid-restricted diets; or have a problem with fluid retention Drink plenty of water. Persons who have epilepsy or heart, kidney, or liver of evaporation. Consider spending the warmest part of the day in public buildings such as tem when working in extreme heat, and take frequent breaks. Never leave children or pets alone in closed vehicles. and who spend much of their time alone. Protect face and head by wearing a wide-brimmed hat. much skin as possible. Dress in loose-fitting, lightweight, and light-colored clothes that cover as directed to do so by a physician. Eat well-balanced, light, and regular meals. Avoid using salt tablets unless facilities. libraries, schools, movie theaters, shopping malls, and other community Circulating air can cool the body by increasing the perspiration rate



## First Aid for Heat-Induced Illnesses

ing table lists these illnesses, their symptoms, and the first aid treatment. Extreme heat brings with it the possibility of heat-induced illnesses. The follow-

mg tabie iists u	rese ninesses, men sympto	CIIIS	$m_{\rm c}$ able must under the symptotic structure in the second
Condition	Symptoms	<u>.</u>	First Aid
Sunburn	Skin redness and pain, possible swelling, blis- ters, fever, headaches	• •	Take a shower using soap to remove oils that may block pores, preventing the body from cooling naturally. Apply dry, sterile dressings to any blisters, and get medical attention.
Heat Cramps	Painful spasms, usu- ally in leg and abdom- inal muscles; heavy sweating	• • • •	Get the victim to a cooler location. Lightly stretch and gently massage af- fected muscles to relieve spasms. Give sips of up to a half glass of cool water every 15 minutes. (Do not give liquids with caffeine or alcohol.) Discontinue liquids, if victim is nau- seated.
Heat Exhaustion	Heavy sweating but skin may be cool, pale, or flushed. Weak pulse. Normal body temperature is pos- sible, but temperature will likely rise. Faint- ing or dizziness, nau- sea vomiting exhaus-	• • • • • • •	Get victim to lie down in a cool place. Loosen or remove clothing. Apply cool, wet cloths. Fan or move victim to air-conditioned place. Give sips of water if victim is con- scious. Be sure water is consumed slowly. Give half place of cool water every 15
	are possible.	• • • •	Give half glass of cool water every 15 minutes. Discontinue water if victim is nause- ated. Seek immediate medical attention if vomiting occurs.
Heat Stroke (a severe medical emergency)	High body tempera- ture (105+); hot, red, dry skin; rapid, weak pulse; and rapid, shal- low breathing. Victim will probably not sweat unless victim was sweating from re- cent strenuous activity. Possible unconscious- ness.	•••••	Call 9-1-1 or emergency medical ser- vices, or get the victim to a hospital immediately. <b>Delay can be fatal.</b> Move victim to a cooler environment. Remove clothing. Try a cool bath, sponging, or wet sheet to reduce body temperature. Watch for breathing problems. Use extreme caution. Use fans and air conditioners.

## **Additional Information**


supply management, or contamination of a surface water supply source or aquifer. An emergency water shortage can be caused by prolonged drought, poor water

fire, flash flood, and possible landslides and debris flow. also creates environmental conditions that increase the risk of other hazards such as Drought can affect vast territorial regions and large population numbers. Drought

resource. doors. Make these practices a part of your daily life and help preserve this essential pendix A contains detailed suggestions for conserving water both indoors and out-Conserving water means more water available for critical needs for everyone. Ap-

## After Extreme Heat

Follow the instructions for recovering from a disaster in Part 5.



### Knowledge Check

and headache but tells you not to worry as it is probably a food allergy. You and a friend have been outdoors in the sun for some time. Shortly after coming inside, your friend complains of nausea

What would you advise him or her to do?

# For More Information

resource may be helpful. If you require more information about any of these topics, the following

## National Weather Service

### Publications

disorders, and heat wave safety tips. Available online at: www.nws.noaa.gov/om/ Heat Wave: A Major Summer Killer. An online brochure describing the heat index, heat /brochures/heat\_wave.htm




# Earthquakes



Are You Ready?

damage. in a populated area, it may cause many deaths and injuries and extensive property lated energy grows strong enough, the plates break free. If the earthquake occurs are locked together, unable to release the accumulating energy. When the accumupast each other. Sometimes, the movement is gradual. At other times, the plates earth, as the huge plates that form the earth's surface slowly move over, under, and For hundreds of millions of years, the forces of plate tectonics have shaped the earth, caused by the abrupt release of strain that has accumulated over a long time. earthquake and its terrible aftereffects. An earthquake is a sudden movement of the One of the most frightening and destructive phenomena of nature is a severe



### Know the Terms

Familiarize yourself with these terms to help identify an earthquake hazard:

#### Earthquake

panied and followed by a series of vibrations. A sudden slipping or movement of a portion of the earth's crust, accom-

#### Aftershock

quake. An earthquake of similar or lesser intensity that follows the main earth-

#### Fault

quake. The slippage may range from less than an inch to more than 10 yards in a severe earthquake. The fracture across which displacement has occurred during an earth-

#### Epicenter

where the earthquake rupture began. Once fault slippage begins, it ex-The place on the earth's surface directly above the point on the fault miles before stopping pands along the fault during the earthquake and can extend hundreds of

### Seismic Waves

most of the destruction during earthquakes. several miles per second. Although fault slippage directly under a structure can cause considerable damage, the vibrations of seismic waves cause Vibrations that travel outward from the earthquake fault at speeds of

#### Magnitude

an earthquake measuring 6.0 is about 30 times more powerful than one energy released than the previous whole number represents. Therefore, measuring 5.0. number on the scale represents an increase of about 30 times more the Richter Scale indicates an extremely strong earthquake. Each whole The amount of energy released during an earthquake, which is computed from the amplitude of the seismic waves. A magnitude of 7.0 on

# Take Protective Measures

property in the event of an earthquake: The following are things you can do to protect yourself, your family, and your

• Repair defective electrical wiring, leaky gas lines, and inflexible utility connections. Get appropriate professional help. Do not work with gas or electrical lines yourself.

Before an Earthquake

2.7

- -
- Bolt down and secure to the wall studs your water heater, refrigerator, furnace, and gas appliances. If recommended by your gas company, have an automatic gas shut-off valve installed that is triggered by strong vibrations.
- ٠ large picture frames to walls. Brace high and top-heavy objects. Place large or heavy objects on lower shelves. Fasten shelves, mirrors, and
- Store bottled foods, glass, china, and other breakables on low shelves or in cabinets that fasten shut.
- Anchor overhead lighting fixtures.
- Be sure the residence is firmly anchored to its foundation.
- . more resistant to breakage. Install flexible pipe fittings to avoid gas or water leaks. Flexible fittings are
- Reinforce this information by moving to these places during each drill. Locate safe spots in each room under a sturdy table or against an inside wall.
- Hold earthquake drills with your family members: Drop, cover, and hold on!

## **During an Earthquake**

place. Stay indoors until the shaking has stopped and you are sure exiting is safe. Minimize your movements during an earthquake to a few steps to a nearby safe

If you are:	Then:	en:
Indoors	•	Take cover under a sturdy desk, table, or bench or against an inside wall, and hold on. If there isn't a table or desk
		near you, cover your face and head with your arms and crouch in an inside corner of the building.
	•	Stay away from glass, windows, outside doors and walls,
		and anything that could fall, such as lighting fixtures or
		furniture.
	•	Stay in bed—if you are there when the earthquake
		strikes-hold on and protect your head with a pillow,
		unless you are under a heavy light fixture that could fall
		In that case, move to the nearest safe place.
	•	Use a doorway for shelter only if it is in close proximity
		to you and if you know it is a strongly supported, load-
		bearing doorway.
	•	Stay inside until the shaking stops and it is safe to go
		outside. Most injuries during earthquakes occur when
		people are hit by falling objects when entering into or
		exiting from buildings.
	•	Be aware that the electricity may go out or the sprinkler
		systems or fire alarms may turn on.
	•	DO NOT use the elevators.
Outdoors	•	Stay there.
	•	Move away from buildings, streetlights, and utility wires.

If you are:	Then:
In a moving vehicle	<ul> <li>Stop as quickly as safety permits and stay in the vehicle. Avoid stopping near or under buildings, trees, overpasses, and utility wires.</li> <li>Proceed cautiously once the earthquake has stopped, watching for road and bridge damage.</li> </ul>
Trapped under debris	<ul> <li>Do not light a match.</li> <li>Do not move about or kick up dust.</li> <li>Cover your mouth with a handkerchief or clothing.</li> <li>Tap on a pipe or wall so rescuers can locate you. Use a whistle if one is available. Shout only as a last resort—shouting can cause you to inhale dangerous amounts of dust.</li> </ul>

- . to weakened structures. lent than the main quake but can be strong enough to do additional damage Be prepared for aftershocks. These secondary shockwaves are usually less vio-
- . Open cabinets cautiously. Beware of objects that can fall off shelves.
- requested by police, fire, or relief organizations. Stay away from damaged areas unless your assistance has been specifically
- . way. Stay away from the beach. issue a tsunami warning, assume that a series of dangerous waves is on the as seismic sea waves (mistakenly called "tidal waves"). When local authorities Be aware of possible tsunamis if you live in coastal areas. These are also known



## After an Earthquake

## **Knowledge Check**

# Check your knowledge about what to do during an earthquake. For each question, choose answer A or B and circle the correct response. When you have finished, check your responses using the answer key below.

What action should you take during an earthquake? The answer varies by where you are when an earthquake strikes. For each situation, pick the best course of action from the choices given.

<ul><li>A. Stop the car in an open area</li><li>B. Stop the car under an overpass</li></ul>	6. Driving a car
<ul><li>A. Run into the nearest building</li><li>B. Stay outside away from buildings</li></ul>	5. Outdoors
<ul><li>A. Take the elevator to the ground floor as quickly as possible</li><li>B. Stay in an interior room under a desk or table</li></ul>	4. On the upper floor of an apartment building
<ul><li>A. Stand in a doorway</li><li>B. Crouch in an inside corner away from the exterior wall</li></ul>	3. In any building
<ul><li>A. Stand by a window to see what is happening</li><li>B. Stay in bed and protect your head with a pillow</li></ul>	2. In bed
<ul><li>A. Stay inside</li><li>B. Go out to the street</li></ul>	1. At home

1.A 2.B 3.B 4.B 5.B 6.A

# For More Information

If you require more information about any of these topics, the following are resources that may be helpful.

after an earthquake Avoiding Earthquake Damage: A Checklist for Homeowners. Safety tips for before, during, and

**FEMA Publications** 

Preparedness in High-Rise Buildings. FEMA-76. Earthquake safety tips for high-rise dwellers

ty tips on earthquake preparation for residents of apartments and mobile homes Learning to Live in Earthquake Country: Preparedness in Apartments and Mobile Homes. L-143. Safe-

hazards; how to conduct earthquake drills Family Earthquake Safety Home Hazard Hunt and Drill. FEMA-113. How to identify home

for teachers and for presentation to children. Available online at www.fema.gov/ Earthquake Preparedness: What Every Childcare Provider Should Know. FEMA 240. Publication kids/tch\_eq.htm








landscapes, poisonous gases, and flying rock and ash. When pressure from gases within the molten rock becomes too great, an eruption A volcano is a vent through which molten rock escapes to the earth's surface. occurs. Eruptions can be quiet or explosive. There may be lava flows, flattened

of the way. Because of their intense heat, lava flows are great fire hazards. Lava flows destroy everything in their path, but most move slowly enough that people can move out

ing from severe respiratory illnesses. Volcanic ash also can damage machinery, ash can cause lung damage to small infants, to older adults, and to those sufferand odorous. While not immediately dangerous to most adults, the acidic gas and become heavy and can collapse roofs. including engines and electrical equipment. Ash accumulations mixed with water Fresh volcanic ash, made of pulverized rock, can be abrasive, acidic, gritty, gassy,

quakes, mudflows and flash floods, rock falls and landslides, acid rain, fire, and in Hawaii, Alaska, and the Pacific Northwest. Volcanic eruptions can be accompanied by other natural hazards, including earth-(under special conditions) tsunamis. Active volcanoes in the U.S. are found mainly



### IKe Protective Measures

- . the family to your disaster supplies kit. Add a pair of goggles and a disposable breathing mask for each member of
- . Stay away from active volcano sites.

**Before a Volcanic Eruption** 

The following are guidelines for what to do if a volcano erupts in your area:

- . Evacuate immediately from the volcano area to avoid flying debris, hot gases, lateral blast, and lava flow.
- the bridge if mudflow is approaching. can walk or run. Look upstream before crossing a bridge, and do not cross channels and with prolonged heavy rains. Mudflows can move faster than you Be aware of mudflows. The danger from a mudflow increases near stream
- Avoid river valleys and low-lying areas.

## Protection from Falling Ash

- Wear long-sleeved shirts and long pants.
- Use goggles and wear eyeglasses instead of contact lenses
- Use a dust mask or hold a damp cloth over your face to help with
- Stay away from areas downwind from the volcano to avoid volcanic ash. breathing.
- Stay indoors until the ash has settled unless there is danger of the roof collapsing.
- . furnaces, air conditioners, fans, and other vents). Close doors, windows, and all ventilation in the house (chimney vents,
- . Clear heavy ash from flat or low-pitched roofs and rain gutters
- Avoid driving in heavy ash fall unless absolutely required. If you have that can clog engines, damage moving parts, and stall vehicles. Avoid running car or truck engines. Driving can stir up volcanic ash
- to drive, keep speed down to 35 MPH or slower.



## **During a Volcanic Eruption**

Natural Hazards

Follow the instructions for recovering from a disaster in Part 5.

## **Knowledge Check**

# Read the scenario and answer the question. Check your responses with the answer key below.

Scenario

away the ash from Yakima's streets, sidewalks, and roofs. The ash fall was so extensive and it became so dark that lights were turned on all day. It took 10 weeks to haul About an hour after the eruption of Mount St. Helens, ash began to fall in Yakima, a city in eastern Washington

outside? Assume you were a resident of Yakima during this time. What would you need to protect yourself when going

# For More Information

resources that may be helpful. If you require more information about any of these topics, the following are

## Publications

## **National Weather Service**


disorders, and heat wave safety tips. Available online at: www.nws.noaa.gov/om/ Heat Wave: A Major Summer Killer. An online brochure describing the heat index, heat /brochures/heat\_wave.htm

## U.S. Geological Survey

information about volcano hazards, and resources. Available online at: http: Volcano Hazards Program. Website with volcano activity updates, feature stories, //volcanoes.usgs.gov

Answer key

1. Face masks 2. Goggles 3. Eyeglasses instead of contact lenses 4. Clothing to cover as much of the body as possible




# Landslides and Debris Flow (Mudslide) 2.9

man modification of land. rapid. They are activated by storms, earthquakes, volcanic eruptions, fires, and huearth, or debris move down a slope. Landslides may be small or large, slow or Landslides occur in all U.S. states and territories. In a landslide, masses of rock,

speeds. They also can travel several miles from their source, growing in size as they "slurry." They flow can rapidly, striking with little or no warning at avalanche rainfall or rapid snowmelt, changing the earth into a flowing river of mud or water. They develop when water rapidly accumulates in the ground, during heavy Debris and mud flows are rivers of rock, earth, and other debris saturated with pick up trees, boulders, cars, and other materials.

tain, canyon, and coastal regions. Land-use zoning, professional inspections, and Landslide problems can be caused by land mismanagement, particularly in mounproper design can minimize many landslide, mudflow, and debris flow problems.



slide or debris flow: The following are steps you can take to protect yourself from the effects of a land-

Protective

- or natural erosion valleys. Do not build near steep slopes, close to mountain edges, near drainage ways,
- Get a ground assessment of your property.
- Consult an appropriate professional expert for advice on corrective measures

Natural Hazards

company or professionals should install gas fittings). or water leaks, as flexible fittings are more resistant to breakage (only the gas Minimize home hazards by having flexible pipe fittings installed to avoid gas

## **Recognize Landslide Warning Signs**

- small slides, flows, or progressively leaning trees. slopes (especially the places where runoff water converges) land movement, Changes occur in your landscape such as patterns of storm-water drainage on
- Doors or windows stick or jam for the first time.
- New cracks appear in plaster, tile, brick, or foundations.
- Outside walls, walks, or stairs begin pulling away from the building
- such as streets or driveways. Slowly developing, widening cracks appear on the ground or on paved areas
- Underground utility lines break
- Bulging ground appears at the base of a slope.
- Water breaks through the ground surface in new locations.
- Fences, retaining walls, utility poles, or trees tilt or move
- . nears A faint rumbling sound that increases in volume is noticeable as the landslide
- direction under your feet. The ground slopes downward in one direction and may begin shifting in that
- Unusual sounds, such as trees cracking or boulders knocking together, might indicate moving debris.
- . flow can be seen when driving (embankments along roadsides are particularly Collapsed pavement, mud, fallen rocks, and other indications of possible debris susceptible to landslides).

#### tore a Landslide or Debris Flow

#### During a Landslide or Debris Flow


occurs: The following are guidelines for what you should do if a landslide or debris flow

- Move away from the path of a landslide or debris flow as quickly as possible.
- . Curl into a tight ball and protect your head if escape is not possible

#### After a Landslide or Debris Flow

The following are guidelines for the period following a landslide:

- Stay away from the slide area. There may be danger of additional slides.
- Check for injured and trapped persons near the slide, without entering the direct slide area. Direct rescuers to their locations.
- lines and damaged roadways and railways. Watch for associated dangers such as broken electrical, water, gas, and sewage
- future. Replant damaged ground as soon as possible since erosion caused by loss of  $\overline{\mathrm{g}}$ round cover can lead to flash flooding and additional landslides in the near
- ٠ Seek advice from a geotechnical expert for evaluating landslide hazards or designing corrective techniques to reduce landslide risk.
- Follow the instructions for returning home in Part 5.



#### 2.9

## Knowledge Check

# Review the following information and answer the questions. Check your responses with the answer key below.

and thousands more in vulnerable areas around the globe. The number of landslides in the United States is ex-Landslides occur in all 50 states—it is estimated that they cause between 25 and 50 deaths each year in the U.S pected to increase.

- 1. What might account for the projected increase in landslides?
- 2. What can you do to help reverse the upward trend?

Answer Key

- 1. Mounting pressure for approving the development of lands subject to landslides and earth failures has increased development in these unsafe areas.
- work to promote protective measures such as encouraging homeowners to get a professional ground assess-Work with others in the community to enact and enforce regulations that prohibit building near areas subject to landslides and mudslides. In areas where the hazard exists and development has already occurred, ment of their property and educating residents about the warning signs. 5.





land with waves as high as 100 feet or more. enly called "tidal waves"), are a series of enormous waves created by an underwatsunami can move hundreds of miles per hour in the open ocean and smash into ter disturbance such as an earthquake, landslide, volcanic eruption, or meteorite. A Tsunamis (pronounced soo-ná-mees), also known as seismic sea waves (mistak-

more than one wave and the succeeding one may be larger than the one before. tions. Once the wave approaches the shore, it builds in height. The topography of From the area where the tsunami originates, waves travel outward in all direc-That is why a small tsunami at one beach can be a giant wave a few miles away. the coastline and the ocean floor will influence the size of the wave. There may be

Oregon, Washington, Alaska, and Hawaii. coastline they strike. A tsunami can strike anywhere along most of the U.S. coast-All tsunamis are potentially dangerous, even though they may not damage every line. The most destructive tsunamis have occurred along the coasts of California,

and fires from gas lines or ruptured tanks. shoreline. Drowning is the most common cause of death associated with a tsuat greater risk if they are less than 25 feet above sea level and within a mile of the If a major earthquake or landslide occurs close to shore, the first wave in a series the run-up zone. Other hazards include flooding, contamination of drinking water, nami. Tsunami waves and the receding water are very destructive to structures in could reach the beach in a few minutes, even before a warning is issued. Areas are Earthquake-induced movement of the ocean floor most often generates tsunamis.

#### Know the Terms

Familiarize yourself with these terms to help identify a tsunami hazard:

#### Advisory

a tsunami. An earthquake has occurred in the Pacific basin, which might generate


#### Watch

A tsunami was or may have been generated, but is at least two hours travel time to the area in Watch status.

#### Warning

A tsunami was, or may have been generated, which could cause damage; therefore, people in the warned area are strongly advised to evacuate.





Natural Hazards

## **Take Protective Measures**

area: The following are guidelines for what you should do if a tsunami is likely in your

- . curs and you are in a coastal area. Turn on your radio to learn if there is a tsunami warning if an earthquake oc-
- Move inland to higher ground immediately and stay there.



If there is noticeable recession in water away from the shoreline this is nature's tsunami warning and it should be heeded. You should move away immediately.

#### **During a Tsunami**

#### After a Tsunami

The following are guidelines for the period following a tsunami:

- turn. Stay away from flooded and damaged areas until officials say it is safe to re-
- people. Stay away from debris in the water; it may pose a safety hazard to boats and



## Save Yourself—Not Your Possesions

tsunami that followed. earthquake. However, he lost his life trying to save something from the Like everyone else in Maullin, Chile, Ramon Atala survived the 1960 Chile

terfront warehouse. pier and at least one large building and also had private quarters in a waowned a barn and a plantation of Monterey pine. In town, he owned a Mr. Atala was Maullin's most prosperous merchant. Outside of town, he

body was never found. tsunami that struck Maullin. The warehouse was washed away and his Mr. Atala entered this warehouse between the first and second wave of the

from the coast and stay there until it is safe to return. is worth your life and that it is important to get to higher ground away It is unclear what he was trying to save. What is clear is that no possession







mated at \$8.6 billion annually. fires, many of which could be prevented. Direct property loss due to fires is esti-Each year, more than 4,000 Americans die and more than 25,000 are injured in

can be engulfed in flames. Fire spreads quickly; there is no time to gather valuables or make a phone call. In just two minutes, a fire can become life-threatening. In five minutes, a residence To protect yourself, it is important to understand the basic characteristics of fire.

deeper sleep. Asphyxiation is the leading cause of fire deaths, exceeding burns by a disoriented and drowsy. Instead of being awakened by a fire, you may fall into a super-hot air can sear your lungs. Fire produces poisonous gases that make you Heat and smoke from fire can be more dangerous than the flames. Inhaling the three-to-one ratio.



## **Take Protective Measures**

#### **Before a Fire**

#### Smoke Alarms

- of dying in a fire by half. Install smoke alarms. Properly working smoke alarms decrease your chances
- Place smoke alarms on every level of your residence. Place them outside bedin) the kitchen. top of open stairways, or at the bottom of enclosed stairs and near (but not rooms on the ceiling or high on the wall (4 to 12 inches from ceiling), at the
- Test and clean smoke alarms once a month and replace batteries at least once a year. Replace smoke alarms once every 10 years

#### **Escaping the Fire**

- Review escape routes with your family. Practice escaping from each room.
- opened from the inside. ings on windows have a fire safety opening feature so they can be easily Make sure windows are not nailed or painted shut. Make sure security grat-



- entry are easily opened from the inside. that burglar bars and other antitheft mechanisms that block outside window Consider escape ladders if your residence has more than one level, and ensure
- ٠ when escaping from a fire. Teach family members to stay low to the floor (where the air is safer in a fire)
- . Clean out storage areas. Do not let trash, such as old newspapers and magazines, accumulate.

#### **Flammable Items**

- . Never use gasoline, benzine, naptha, or similar flammable liquids indoors.
- . areas. Store flammable liquids in approved containers in well-ventilated storage
- Never smoke near flammable liquids.
- . you have used them. Safely discard them outdoors in a metal container. Discard all rags or materials that have been soaked in flammable liquids after
- at least three feet higher than the roof. Remove branches hanging above and Insulate chimneys and place spark arresters on top. The chimney should be around the chimney.

#### Heating Sources

- Be careful when using alternative heating sources.
- they have cooled. ers in your community. Be sure to fill kerosene heaters outside, and be sure Check with your local fire department on the legality of using kerosene heat-
- ٠ floor and nearby walls are properly insulated. Place heaters at least three feet away from flammable materials. Make sure the
- ٠ Use only the type of fuel designated for your unit and follow manufacturer's instructions.
- ٠ Store ashes in a metal container outside and away from your residence
- ٠ Keep open flames away from walls, furniture, drapery, and flammable items.
- Keep a screen in front of the fireplace.
- Have heating units inspected and cleaned annually by a certified specialist.

### **Matches and Smoking**

- Keep matches and lighters up high, away from children, and, if possible, in a locked cabinet.
- . posal. deep, sturdy ashtrays. Douse cigarette and cigar butts with water before dis-Never smoke in bed or when drowsy or medicated. Provide smokers with

2.11	
Fires	

#### **Electrical Wiring**

- Have the electrical wiring in your residence checked by an electrician
- Inspect extension cords for frayed or exposed wires or loose plugs.
- Make sure outlets have cover plates and no exposed wiring.
- areas. Make sure wiring does not run under rugs, over nails, or across high-traffic
- . Do not overload extension cords or outlets. If you need to plug in two or vent sparks and short circuits. three appliances, get a UL-approved unit with built-in circuit breakers to pre-
- Make sure insulation does not touch bare electrical wiring.

#### Other

- Sleep with your door closed.
- . Install A-B-C-type fire extinguishers in your residence and teach family members how to use them.
- Consider installing an automatic fire sprinkler system in your residence
- Ask your local fire department to inspect your residence for fire safety and prevention.

#### **During a Fire**

If your clothes catch on fire, you should:

.

fire burn faster Stop, drop, and roll—until the fire is extinguished. Running only makes the

To escape a fire, you should:

ing). open it. Never use the palm of your hand or fingers to test for heat-burning those areas could impair your ability to escape a fire (i.e., ladders and crawlthe doorknob, and the crack between the door and door frame before you through a closed door, use the back of your hand to feel the top of the door, Check closed doors for heat before you open them. If you are escaping

Do not open. Escape through a win- dow. If you cannot escape, hang a white or light-colored sheet outside the window, alerting fire fighters to your presence.Open slowly and ensure fire and/or smoke is not blocking your escape route door immediately and use an alternate escape route, such as a window. If clear leave immediately through the door	Hot Door	Cool Door
O le	Do not open. Escape through a win-	Open slowly and ensure fire and/or
	dow. If you cannot escape, hang a	smoke is not blocking your escape route.
	white or light-colored sheet outside	If your escape route is blocked, shut the
	the window, alerting fire fighters to	door immediately and use an alternate
leave immediately through the door	your presence.	escape route, such as a window. If clear,
		leave immediately through the door
and close it behind you. Be prepared to		and close it behind you. Be prepared to
crawl. Smoke and heat rise. The air is		crawl. Smoke and heat rise. The air is
clearer and cooler near the floor.		clearer and cooler near the floor.



- ٠ lect first along the ceiling. Crawl low under any smoke to your exit—heavy smoke and poisonous gases col-
- . Close doors behind you as you escape to delay the spread of the fire.
- ٠ Stay out once you are safely out. Do not reenter. Call 9-1-1.



Natural

fire: The following are guidelines for different circumstances in the period following a

After a Fire

- ٠ and cover burns to reduce chance of further injury or infection. If you are with burn victims, or are a burn victim yourself, call 9-1-1; cool
- . mediately. If you detect heat or smoke when entering a damaged building, evacuate im-
- . If you are a tenant, contact the landlord
- . contents could burst into flames. heat for several hours. If the door is opened before the box has cooled, the If you have a safe or strong box, do not try to open it. It can hold intense
- ٠ unsafe, ask someone you trust to watch the property during your absence If you must leave your home because a building inspector says the building is
- ٠ Follow the instructions for recovering from a disaster in Part 5



### Answer each question and check your responses using the answer key below. Knowledge Check

- $\vdots$ You need to escape a fire through a closed door. What, if anything, should you do before opening the door?
- 2. What should you do if your clothes are on fire?
- ω. What actions should be taken for burn victims?
- 4 To reduce heating costs, you installed a wood-burning stove. What can you do to reduce the risk of fire from this heating source?
- <u></u> To escape in thick smoke, what should you do?

- Check the door for heat with the back of your hand
  - Stop, drop, and roll
- Call 9-1-1 and cool and cover burns
- Have the stove cleaned and inspected by a certified specialist 1. . 5. . 5. .
  - Crawl close to the floor



## For More Information


If you require more information about any of these topics, the following are resources that may be helpful.

insurance considerations, valuing your property, replacement of valuable docution about recovering from a fire, including what to do during the first 24 hours, www.usfa.fema.gov/public/hfs/pubs/atf/after.shtm ments, salvage hints, fire department operations, and more. Available online at After the Fire: Returning to Normal. FA 046. This 16-page booklet provides informa-

residential sprinklers. Available online at www.usfa.fema.gov/public/hfs/pubs/ Topics include children, sleepwear, older adults, smoke detectors, escape plans, and information you need to decide what you must do to protect your family from fire Protecting Your Family From Fire. FA 130. This pamphlet was written to provide the hfs\_pubs2.shtm


lenges. All are available online at www.usfa.fema.gov/fire-service/education/ These reports address preparation for fire risks for populations with special chal-Fire Risks for the Hard of Hearing. FA 202; Fire Risks for the Older Adult. FA 203; Fire Risks for education-pubs.shtm the Mobility Impaired. FA 204; Fire Risks for the Blind or Visually Impaired. FA 205

**FEMA Publications** 





brush, trees, and homes. are usually triggered by lightning or accidents. Wildfires spread quickly, igniting vegetation is abundant, your residence could be vulnerable to wildfires. These fires If you live on a remote hillside or in a valley, prairie, or forest where flammable



## **Take Protective Measures**

#### Before a Wildfire

To prepare for wildfires, you should:

- Mark the entrance to your property with address signs that are clearly visible from the road.
- debris such as dead limbs and leaves. Keep lawns trimmed, leaves raked, and the roof and rain gutters free from
- Stack firewood at least 30 feet away from your residence



your residence at least 30 feet away from structures and wooden fences Store flammable materials, liquids, and solvents in metal containers outside

.

- ٠ Create defensible space by thinning trees and brush within 30 feet around branches. your residence. Beyond 30 feet, remove dead wood, debris, and low tree
- . fire from spreading quickly. For example, hardwood trees are more fire-resis-Landscape your property with fire resistant plants and vegetation to prevent tant than pine, evergreen, eucalyptus, or fir trees.
- wells, are accessible to the fire department. Make sure water sources, such as hydrants, ponds, swimming pools, and
- to protect your residence. Avoid using wood materials. They offer the least Use fire resistant, protective roofing and materials like stone, brick, and metal fire protection.
- than 6 millimeters or 1/4 inch to prevent debris from collecting and to help keep sparks out. Cover all exterior vents, attics, and eaves with metal mesh screens no larger
- Install multi-pane windows, tempered safety glass, or fireproof shutters to protect large windows from radiant heat.
- Use fire-resistant draperies for added window protection.
- cleaned annually by a certified specialist. Have chimneys, wood stoves, and all home heating systems inspected and
- . Insulate chimneys and place spark arresters on top. The chimney should be at least 3 feet above the roof.
- Remove branches hanging above and around the chimney.

## Follow Local Burning Laws

obtain a burning permit, and follow these guidelines: Before burning debris in a wooded area, make sure you notify local authorities,

- Use an approved incinerator with a safety lid or covering with holes no larger than 3/4 inch
- Create at least a 10-foot clearing around the incinerator before burning debris
- ٠ Have a fire extinguisher or garden hose on hand when burning debris.



During a Wildfire	If a wildfire threatens your home and time permits, take the following precautions:
	<ul> <li>Shut off gas at the meter. Only a qualified professional can safely turn the gas back on.</li> </ul>
	<ul> <li>Seal attic and ground vents with pre-cut plywood or commercial seals.</li> </ul>
	Turn off propane tanks.
	Place combustible patio furniture inside.
	• Connect garden hose to outside taps. Place lawn sprinklers on the roof and near above-ground fuel tanks. Wet the roof.
	• Wet or remove shrubs within 15 feet of your residence.
	• Gather fire tools such as a rake, axe, handsaw or chainsaw, bucket, and shovel.
	• Back your car into the garage or park it in an open space facing the direction of escape. Shut doors and roll up windows. Leave the key in the ignition and the car doors unlocked. Close garage windows and doors, but leave them unlocked. Disconnect automatic garage door openers.
	Open fireplace damper. Close fireplace screens.
	• Close windows, vents, doors, blinds or noncombustible window coverings, and heavy drapes. Remove flammable drapes and curtains.
	<ul> <li>Move flammable furniture into the center of the residence away from win- dows and sliding-glass doors.</li> </ul>
	• Close all interior doors and windows to prevent drafts.
	• Place valuables that will not be damaged by water in a pool or pond.
	If advised to evacuate, do so immediately. Choose a route away from the fire haz- ard. Watch for changes in the speed and direction of the fire and smoke.
After a Wildfire	Follow the instructions for recovering from a disaster in Part 5.
	For More Information
	If you require more information about any of these topics, the following resource may be helpful.
FEMA Publications	Wildfire: Are You Prepared? L-203. Wildfire safety tips, preparedness, and mitigation techniques.

2.12 Wildfires

Are You Ready?

### **Iechnolo** ĨC


Canal, near Niagara Falls, New York—surfaced years after initial exposure. affected until many years later. For example, health problems caused by hidden toxic waste sites—like that at Love warning precedes incidents involving technological hazards. In many cases, victims may not know they have been Technological hazards include hazardous materials incidents and nuclear power plant failures. Usually, little or no

and the opportunities for human error inherent in the use of these materials. The number of technological incidents is escalating, mainly as a result of the increased number of new substances

Use Part 3 to learn what actions to include in your family disaster plan to prepare for and respond to events inreduce the potential for injury to people and the environment. volving technological hazards. Learn how to use, store, and dispose of household chemicals in a manner that will

When you complete Part 3, you will be able to:

- Recognize important terms.
- Take protective measures for technological disasters.
- Know what actions to take if an event occurs.
- Identify resources for more information about technological hazards.



## **Hazardous Materials** Incidents ω

the environment where you live, work, or play. during production, storage, transportation, use, or disposal. You and your commuduction, and simplify household chores. But chemicals also can be hazardous to Chemicals are found everywhere. They purify drinking water, increase crop pronity are at risk if a chemical is used unsafely or released in harmful amounts into humans or the environment if used or released improperly. Hazards can occur

others, including service stations, hospitals, and hazardous materials waste sites. Chemical manufacturers are one source of hazardous materials, but there are many



## **Take Protective Measures**

Many communities have Local Emergency Planning Committees (LEPCs) whose

responsibilities include collecting information about hazardous materials in the

#### Before a Hazardous Materials Incident

See Section 1.3: Assemble a Disaster Supplies Kit

Plastic sheetingDuct tape.

local emergency management office can provide contact information on the LEPCs

You should add the following supplies to your disaster supplies kit:

and actions the public must take in the event of a release are part of the plan. Conspond to chemical emergencies in the community. Ways the public will be notified LEPCs also are tasked with developing an emergency plan to prepare for and recommunity and making this information available to the public upon request. The

tact the LEPCs to find out more about chemical hazards and what needs to be done

to minimize the risk to individuals and the community from these materials. The

• Scissors.

#### During a Hazardous Materials Incident

the risk of contamination. Remember that some toxic chemicals are odorless. Follow the instructions carefully. You should stay away from the area to minimize Listen to local radio or television stations for detailed information and instructions.

S	
3.1	

If you are:	Then:
Asked to evacuate	Do so immediately.
Caught Outside	Stay upstream, uphill, and upwind! In general, try to go at least one-half mile (usually 8-10 city blocks) from the danger area. Do not walk into or touch any spilled liquids, airborne mists, or condensed solid chemical deposits.
In a motor vehicle	Stop and seek shelter in a permanent building. If you must remain in your car, keep car windows and vents closed and shut off the air conditioner and heater.
Requested to stay indoors	<ul> <li>Close and lock all exterior doors and windows. Close vents, fireplace dampers, and as many interior doors as possible.</li> <li>Turn off air conditioners and ventilation systems. In large buildings, set ventilation systems to 100 percent recirculation so that no outside air is drawn into the building. If this is not possible, ventilation systems should be turned off.</li> <li>Go into the pre-selected shelter room. This room should be above ground and have the fewest openings to the outside.</li> <li>Seal the room by covering each window, door, and vent using plastic sheeting and duct tape.</li> <li>Use material to fill cracks and holes in the room, such as those around pipes.</li> </ul>

## Shelter Safety for Sealed Rooms

breathing rate while resting. prevent carbon dioxide build-up for up to five hours, assuming a normal Ten square feet of floor space per person will provide sufficient air to

seeps into the shelter. At this point, evacuation from the area is the better sheltering diminishes with time as the contaminated outside air gradually a sealed room for more than 2-3 hours because the effectiveness of such protective action to take. However, local officials are unlikely to recommend the public shelter in

avoid breathing contaminated air still inside the shelter. Also you should ventilate the shelter when the emergency has passed to


#### After a Hazardous Materials Incident

dent: The following are guidelines for the period following a hazardous materials inci-

- . and turn on fans to provide ventilation. Return home only when authorities say it is safe. Open windows and vents
- . Act quickly if you have come in to contact with or have been exposed to hazardous chemicals. Do the following:
- Follow decontamination instructions from local authorities. You may be from water and follow another procedure. advised to take a thorough shower, or you may be advised to stay away



- Seek medical treatment for unusual symptoms as soon as possible.
- Place exposed clothing and shoes in tightly sealed containers. Do not about proper disposal. allow them to contact other materials. Call local authorities to find out
- been exposed to a toxic substance. Advise everyone who comes in to contact with you that you may have
- ٠ Find out from local authorities how to clean up your land and property.
- office. Report any lingering vapors or other hazards to your local emergency services
- Follow the instructions for recovering from a disaster in Part 5.



## Household Chemical Emergencies ω

cals. Nearly every household uses products containing hazardous materials or chemi-

#### **Cleaning Products**

- Oven cleaners
- Drain cleaners
- Wood and metal cleaners and polishes
- Toilet cleaners
- Tub, tile, shower cleaners
- Bleach (laundry)
- Pool chemicals

### **Automotive Products**

- Motor oil
- Fuel additives
- Carburetor and fuel injection cleaners
- Air conditioning refrigerants
- Starter fluids
- Automotive batteries
- Transmission and brake fluid
- Antifreeze

## Lawn and Garden Products

- Herbicides
- Insecticides
- Fungicides/wood preservatives

#### Indoor Pesticides

- Ant sprays and baits
- Cockroach sprays and baits
- Flea repellents and shampoos
- Bug sprays
- Houseplant insecticides
- Moth repellents

٠

 Mouse and rat poisons and baits

## Workshop/Painting Supplies

- Adhesives and glues
- Furniture strippers
- Oil- or enamel-based paint
- Stains and finishes
- Paint thinners and turpentine
- Paint strippers and removers
- Photographic chemicals
- Fixatives and other solvents

#### Miscellaneous

- Batteries
- Mercury thermostats or thermometers
- Fluorescent light bulbs
- Driveway sealer

### **Other Flammable Products**

- Propane tanks and other compressed gas cylinders
- Kerosene
- Home heating oil
- Diesel fuel
- Gas/oil mix
- Lighter fluid

products and how to react during an emergency can reduce the risk of injury. Although the risk of a chemical accident is slight, knowing how to handle these

## Take Protective Measures

cals sately: The following are guidelines for buying and storing hazardous household chemi-

- and waste can be swapped or given away. nities have organized waste exchanges where household hazardous chemicals or garden center, and theater groups often need surplus paint. Some commument agency. For example, excess pesticide could be offered to a greenhouse can be shared with neighbors or donated to a business, charity, or govern-Buy only as much of a chemical as you think you will use. Leftover material
- ers should be repackaged and clearly labeled. never remove the labels unless the container is corroding. Corroding contain-Keep products containing hazardous materials in their original containers and
- Never store hazardous products in food containers.
- . Incompatibles, such as chlorine bleach and ammonia, may react, ignite, or Never mix household hazardous chemicals or waste with other products. explode.

Take the following precautions to prevent and respond to accidents:

- Follow the manufacturer's instructors for the proper use of the household chemical.
- Never smoke while using household chemicals.
- etc.) Although you may not be able to see or smell them, vapor particles in the air could catch fire or explode. open flame (e.g., pilot light, lighted candle, fireplace, wood burning stove, Never use hair spray, cleaning solutions, paint products, or pesticides near an

Before a Household Chemical Emergency

		Chemical Emergency	During a Household												
Discard clothing that may have been contaminated. Some chemicals may not wash out completely.	<ul> <li>If someone has been exposed to a household chemical:</li> <li>Find any containers of the substance that are readily available in order to provide requested information. Call emergency medical services.</li> <li>Follow the emergency operator or dispatcher's first aid instructions carefully. The first aid advice found on containers may be out of date or inappropriate. Do not give anything by mouth unless advised to do so by a medical professional.</li> </ul>	<ul> <li>If there is a danger of fire or explosion:</li> <li>Get out of the residence immediately. Do not waste time collecting items or calling the fire department when you are in danger. Call the fire department from outside (a cellular phone or a neighbor's phone) once you are safely away from danger.</li> <li>Stay upwind and away from the residence to avoid breathing toxic fumes.</li> </ul>		<ul> <li>Post the number of the emergency medical services and the poison control center by all telephones. In an emergency situation, you may not have time to look up critical phone numbers. The national poison control number is (800)222-1222.</li> </ul>	Be prepared to seek medical assistance:	Cramps or diarrhea.	Clumsiness or lack of coordination.	• Dizziness.	<ul> <li>Headache or blurred vision.</li> </ul>	Changes in skin color.	• Irritation of the eyes, skin, throat, or respiratory tract.	Difficulty breathing.	Learn to recognize the symptoms of toxic poisoning, which are as follows:	<ul> <li>Dispose of hazardous materials correctly. Take household hazardous waste to a local collection program. Check with your county or state environmental or solid waste agency to learn if there is a household hazardous waste collection program in your area.</li> </ul>	• Clean up any chemical spill immediately. Use rags to clean up the spill. Wear gloves and eye protection. Allow the fumes in the rags to evaporate outdoors, then dispose of the rags by wrapping them in a newspaper and placing them in a sealed plastic bag in your trash can.

3.2

Household Chemical Emergencies

Are You Ready?

136

## **Checking Your Home**


polishes all fall into the category of hazardous materials. deodorant, nail polish and nail polish remover, toilet bowl cleaners, and furniture er's directions. It is critical to store household chemicals in places where children you are using, storing, and disposing of the material according to the manufacturof your home to see where these materials are located. Use the list of common cannot access them. Remember that products such as aerosol cans of hair spray and have located a product, check the label and take the necessary steps to ensure that hazardous household items presented earlier to guide you in your hunt. Once you There are probably many hazardous materials throughout your home. Take a tour



## For More Information

resources that may be helpful. If you require more information about any of these topics, the following are

	Other Publications				FEMA Publications
Chemical Emergencies. Extensive document describing the hazards of house-hold chemicals and what to do in an emergency. Available online at www.redcross.org/services/disaster/0,1082,0_581_,00.html	American Red Cross	USFA: Factsheet: Baby-sitters Make the Right Call to EMS. 0510. Available online at www.usfa.fema.gov/public/factsheets/mtrc.shtm	Backgrounder: Hazardous Materials. 0.511. Information sheet available online at www.fema.gov/hazards/hazardousmaterials/hazmat.shtm	Chemical Emergencies. A pamphlet promoting awareness of chemical hazards in the home, how to prevent them, and what to do if exposed. Available online at www.fema.gov/pdf/rrr/talkdiz/chemical.pdf	Household Hazardous Materials: A Guide for Citizens. IS 55. An independent study resource for parents and teachers. Web-based safety program focused on reducing the num- ber of deaths and injuries in the home. Available online at http://training.fema.gov/ emiweb/is/is55.asp



## **Nuclear Power Plants** ω ω

ယ ယ

about 20 percent of the nation's power. Nearly 3 million Americans live within 10 environment to convert water to steam, which powers generators to produce miles of an operating nuclear power plant. electricity. Nuclear power plants operate in most states in the country and produce Nuclear power plants use the heat generated from nuclear fission in a contained

health and safety of the public living near the nuclear power plant. and regulated by the Nuclear Regulatory Commission (NRC), accidents are possible. An accident could result in dangerous levels of radiation that could affect the Although the construction and operation of these facilities are closely monitored

plies, food crops, and livestock. radiation exposure. The second zone covers a broader area, usually up to a 50-mile define two "emergency planning zones." One zone covers an area within a 10gency response plans in the event of a nuclear power plant incident. The plans Local and state governments, federal agencies, and the electric utilities have emerradius from the plant, where radioactive materials could contaminate water supmile radius of the plant, where it is possible that people could be harmed by direct

ticles deposited on the ground, inhalation of radioactive materials, and ingestion of formation) of radioactive gases and particles. The major hazards to people in the radioactive materials. vicinity of the plume are radiation exposure to the body from the cloud and parfrom the plant into the environment, usually characterized by a plume (cloud-like radiation. This exposure could come from the release of radioactive material The potential danger from an accident at a nuclear power plant is exposure to

exposed to radiation, the greater the effect. A high exposure to radiation can cause also is released from man-made sources such as X-ray machines, television sets, Each of us is exposed to radiation daily from natural sources, including the Sun serious illness or death. and microwave ovens. Radiation has a cumulative effect. The longer a person is and the Earth. Small traces of radiation are present in food and water. gives off its excess energy until it becomes stable. The energy emitted is radiation. Radioactive materials are composed of atoms that are unstable. An unstable atom Radiation

## **Minimizing Exposure to Radiation**

- diation, the better. This could be evacuation or remaining indoors to minimize exposure. Distance - The more distance between you and the source of the ra-
- Shielding The more heavy, dense material between you and the source of the radiation, the better.
- **Time** Most radioactivity loses its strength fairly quickly.

sion and radio stations on how to protect yourself. also would instruct you through the Emergency Alert System (EAS) on local televiauthorities would activate warning sirens or another approved alert method. They If an accident at a nuclear power plant were to release radiation in your area, local

#### Know the Terms

Familiarize yourself with these terms to help identify a nuclear power plant emergency:

## Notification of Unusual Event

No action on your part will be necessary. A small problem has occurred at the plant. No radiation leak is expected.

#### Alert

inside the plant. This will not affect you and no action is required. A small problem has occurred, and small amounts of radiation could leak

Technological <u>H</u>azards

### Site Area Emergency

information. Area sirens may be sounded. Listen to your radio or television for safety

### General Emergency


prepared to follow instructions promptly. Radiation could leak outside the plant and off the plant site. The sirens will sound. Tune to your local radio or television station for reports. Be

## Take Protective Measures

Before a Nuclear Power Plant

Emergency

operates your local nuclear power plant or your local emergency services office. Obtain public emergency information materials from the power company that yearly from the power company or your state or local government. If you live within 10 miles of the power plant, you should receive these materials





#### During a Nuclear Power Plant Emergency

the radio for specific instructions. Close and lock doors and windows. emergency occurs. Keep a battery-powered radio with you at all times and listen to The following are guidelines for what you should do if a nuclear power plant

• Keep for windows and	<ul> <li>If you are advised to remain indoors</li> <li>Turn off the air conditioner wontilation</li> </ul>
• Keep car windows and	• Turn off the air conditioner, ventilation
vents closed; use	fans, furnace, and other air intakes.
re-circulating air.	• Go to a basement or other underground
	area, if possible.
	• Do not use the telephone unless
	absolutely necessary.

If you expect you have been exposed to nuclear radiation:

- Change clothes and shoes.
- Put exposed clothing in a plastic bag.
- Seal the bag and place it out of the way:
- Take a thorough shower.

should be washed before being put in to containers. Keep food in covered containers or in the refrigerator. Food not previously covered

#### After a Nuclear Power Plant Emergency

related to radiation exposure. Seek medical treatment for any unusual symptoms, such as nausea, that may be

Follow the instructions for recovering from a disaster in Part 5.



- What are some things you can do to reduce the threat from hazardous materials in your home?
- 2. What should you do if you are caught at the scene of a hazardous materials incident?
- ω. What is the telephone number for the National Poison Control Center?
- 4. What are three ways to minimize radiation exposure?
- 5 Are there special warning requirements for nuclear power plants? If so, what are they?
- 6. What does it mean when a nuclear power plant has issued a general emergency? What actions should you take?
- $^{\succ}$ If you are at home and instructed to shelter-in-place because of a chemical release, where will you go?
- °. If you are in a Car and unable to seek shelter in a building and a chemical release occurs, you should?
- 9. Who can you contact to find out about hazardous materials stored in your community?
- 10. What are some common placess hazardous materials may be present in the community?

- Learn to identify hazardous materials. *ч*. .\_
- Follow manufacture's instructions for storage, use, and disposal. þ.
  - Never store hazardous products in food containers. J
- Keep products in original containers unless the container is corroding. q.
- Never mix household hazardous chemicals or waste with other products. j.
  - Take household hazardous waste to a local collection program. ÷
    - Never smoke while using household chemicals.
    - Clean up spills immediately with rags. ъ́р
- Buy only as much of a chemical as you think you will use. . **. .** .
- Stay upstream, uphill, and upwind! In general, try to go at least one-half mile (usually 8-10 city blocks) Do not walk into or touch any spilled liquids, airborne mists, or condensed solid chemical deposits. from the danger area. ъ. 5.
- (800)222 12223.
- Distance, shielding, and time. 4.
- Yes. Nuclear power plants are required to install sirens or other approved warning systems. 5.
- Radiation could leak outside the plant and off the plant site. The sirens will sound. Tune to local radio or television station for reports. Be prepared to follow instructions promptly. .0
- An above ground room with the fewest exterior doors and windows. 7.
- Keep car windows and vents closed and shut off the air conditioner or heater. <u></u>.
- Local Emergency Planning Committee (LEPC). The local emergency management office can provide contact information for the LEPCs. 9.
- facilities, construction sites, dry cleaners, electronics manufactures, paint shops, hospitals, hazardous materials Agricultural operations and farms, auto service stations and junkyards, chemical manufacturing and storage waste sites, and transportation routes. 10.

# Terrorism

people, and devastating economic loss. large-scale losses of life, the destruction of property, widespread illness and injury, the displacement of large numbers of Throughout human history, there have been many threats to the security of nations. These threats have brought about

Recent technological advances and ongoing international political unrest are components of the increased risk to national security.

Use Part 4 to learn what actions to include in your family disaster plan to prepare for and respond to terrorist threats.

When you complete Part 4, you will be able to:

- Recognize important terms.
- Take protective measures for terrorist threats.
- Know what actions to take if an event occurs.
  Identify resources for more information about terrorist threats.



## General Information about Terrorism 4.1

the criminal laws of the United States for purposes of intimidation, coercion, or ransom. Terrorists often use threats to: Terrorism is the use of force or violence against persons or property in violation of

- Create fear among the public.
- terrorism. Try to convince citizens that their government is powerless to prevent
- Get immediate publicity for their causes.



chemical, biological, nuclear and radiological weapons. ings; bomb scares and bombings; cyber attacks (computer-based); and the use of Acts of terrorism include threats of terrorism; assassinations; kidnappings; hijack-

explosives or chemical and biological agents through the mail ists might also target large public gatherings, water and food supplies, utilities, facilities, international airports, large cities, and high-profile landmarks. Terrorand corporate centers. High-risk targets for acts of terrorism include military and civilian government Further, terrorists are capable of spreading fear by sending

same way you would prepare for other crisis events. fire, and other officials for instructions. However, you can prepare in much the Within the immediate area of a terrorist event, you would need to rely on police,

The following are general guidelines:

- Be aware of your surroundings.
- Move or leave if you feel uncomfortable or if something does not seem right.
- ages, and strange devices to the police or security personnel. You should promptly report unusual behavior, suspicious or unattended packior. Do not accept packages from strangers. Do not leave luggage unattended Take precautions when traveling. Be aware of conspicuous or unusual behav-
- Learn where emergency exits are located in buildings you frequent. Plan how to get out in the event of an emergency.
- Be prepared to do without services you normally depend on-electricity, transactions. telephone, natural gas, gasoline pumps, cash registers, ATMs, and Internet

floor of the building: Work with building owners to ensure the following items are located on each

٠

- Portable, battery-operated radio and extra batteries.
- Several flashlights and extra batteries.

1

- First aid kit and manual.
- Hard hats and dust masks.
- Fluorescent tape to rope off dangerous areas.

I.





remote locations or by suicide bombers. using vehicles and humans as a means of transport. They are easily detonated from ing variety, hardware, and auto supply stores. Explosive devices are highly portable The materials needed for an explosive device can be found in many places includweapons. Terrorists do not have to look far to find out how to make explosive devices; the information is readily available in books and other information sources. Terrorists have frequently used explosive devices as one of their most common

streets with thousands of people around the world injured and killed. social, and religious institutions. Attacks have occurred in public places and on city Conventional bombs have been used to damage and destroy financial, political,

## Parcels that should make you suspicious:

- Are unexpected or from someone unfamiliar to you.
- mate. Have no return address, or have one that can't be verified as legiti-
- dential," or "Do not X-ray." Are marked with restrictive endorsements such as "Personal," "Confi-
- Have protruding wires or aluminum foil, strange odors, or stains.
- dress. Show a city or state in the postmark that doesn't match the return ad-
- shaped. Are of unusual weight given their size, or are lopsided or oddly
- . Are marked with threatening language.
- ٠ Have inappropriate or unusual labeling.
- ٠ and string. Have excessive postage or packaging material, such as masking tape
- ٠ Have misspellings of common words.
- otherwise outdated Are addressed to someone no longer with your organization or are
- Have incorrect titles or titles without a name.
- Are not addressed to a specific person.
- • Have hand-written or poorly typed addressess

# Take Protective Measures

If you receive a telephoned bomb threat, you should do the following:

- Get as much information from the caller as possible.
- Keep the caller on the line and record everything that is said.
- Notify the police and the building management.

If there is an explosion, you should:

- Get under a sturdy table or desk if things are falling around you. When they ways. As you exit from the building, be especially watchful of falling debris. stop falling, leave quickly, watching for obviously weakened floors and stair-
- sessions or make phone calls. Leave the building as quickly as possible. Do not stop to retrieve personal pos-
- Do not use elevators.

Once you are out:

- areas. Do not stand in front of windows, glass doors, or other potentially hazardous
- . Move away from sidewalks or streets to be used by emergency officials or others still exiting the building.



If you are trapped in debris:

- If possible, use a flashlight to signal your location to rescuers.
- Avoid unnecessary movement so you don't kick up dust.
- . cotton material can act as a good filter. Try to breathe through the material.) Cover your nose and mouth with anything you have on hand. (Dense-weave
- Tap on a pipe or wall so rescuers can hear where you are.
- If possible, use a whistle to signal rescuers.
- . amounts of dust. Shout only as a last resort. Shouting can cause a person to inhale dangerous

#### **During an Explosion**



Safety guidelines for escaping fires in Section 2.11



#### After an Explosion

Follow the instructions for recovering from a disaster in Part 5.



## For More Information

resource may be helpful. If you require more information about any of these topics, the following

#### Publications

#### American Red Cross:

services/disaster/0,1082,0\_589\_,00.html Terrorism, Preparing for the Unexpected. Document providing preparation guidelines for a terrorist attack or similar emergency. Available online at www.redcross.org/



#### 4.3 Biological Threats

4.3

infecting animals that carry the disease to humans, and by contaminating food and long lived. Biological agents can be dispersed by spraying them into the air, by ficult to grow and maintain. Many break down quickly when exposed to sunlight stock, and crops. Biological agents are organisms or toxins that can kill or incapacitate people, liveand other environmental factors, while others, such as anthrax spores, are very used as weapons are bacteria, viruses, and toxins. Most biological agents are difwater. Delivery methods include: The three basic groups of biological agents that would likely be

- animals. that may drift for miles. Inhaling the agent may cause disease in people or Aerosols--biological agents are dispersed into the air, forming a fine mist
- mice, flies, mosquitoes, and livestock Animals--some diseases are spread by insects and animals, such as fleas
- Food and water contamination—some pathogenic organisms and toxins instructions. by boiling water for one minute, but some require longer. Follow official ins deactivated, by cooking food and boiling water. Most microbes are killed may persist in food and water supplies. Most microbes can be killed, and tox-
- viruses. mans have been the source of infection for smallpox, plague, and the Lassa Person-to-person--spread of a few infectious agents is also possible. Hu-

Control and Prevention's Web site, www.bt.cdc.gov. Specific information on biological agents is available at the Centers for Disease



# **Take Protective Measures**

### Before a Biological Attack

threat: The following are guidelines for what you should do to prepare for a biological

agents. Check with your doctor to ensure all required or suggested immunizations are up to date. Children and older adults are particularly vulnerable to biological

do not have a central heating or cooling system, a stand-alone portable HEPA and will filter out most biological agents that may enter your house. If you nace return duct. These filters remove particles in the 0.3 to 10 micron range Consider installing a High Efficiency Particulate Air (HEPA) filter in your furfilter can be used.

#### Review Shelter

in Section 1.4

#### **Filtration in Buildings**

cation Guidance for Filtration and Air-Cleaning Systems to Protect Building Environments Health (NIOSH) provides technical guidance on this topic in their publi-Building owners and managers should determine the type and level of or download NIOSH Publication 2003-136. 1(800)35NIOSH or visit www.cdc.gov/NIOSH/publist.html and request from Airborne Chemical, Biological, or Radiological Attacks. To obtain a copy, call biological agents. The National Institute of Occupational Safety and filtration in their structures and the level of protection it provides against

vaccinations are being distributed, and where you should seek medical attention if including signs and symptoms of the disease, areas in danger, if medications or mine what the illness is, how it should be treated, and who is in danger. Watch In the event of a biological attack, public health officials may not immediately be you become ill. television, listen to radio, or check the Internet for official news and information able to provide information on what you should do. It will take time to deter-

do not assume that any illness is a result of the attack. practice good hygiene. caused by exposure to an agent. Be suspicious of any symptoms you notice, but The first evidence of an attack may be when you notice symptoms of the disease Use common sense and

If you become aware of an unusual and suspicious substance nearby:

- Move away quickly.
- Wash with soap and water.
- Contact authorities.
- Listen to the media for official instructions.
- Seek medical attention if you become sick

If you are exposed to a biological agent:

- Remove and bag your clothes and personal items. Follow official instructions for disposal of contaminated items
- Wash yourself with soap and water and put on clean clothes
- Seek medical assistance. You may be advised to stay away from others or even quarantined.

•

**During a Biological Attack** 

#### **Using HEPA Filters**

ing and cooling system in your home with a HEPA filter, leave it on if it you are seeking shelter and turn it on. have a portable HEPA filter, take it with you to the internal room where house through the filter will help remove the agents from the air. If you is running or turn the fan on if it is not running. Moving the air in the HEPA filters are useful in biological attacks. If you have a central heat-

tively safe level of protection from outside biological contaminants. heating and cooling system, the system's filtration should provide a rela-If you are in an apartment or office building that has a modern, central


HEPA filters will not filter chemical agents.

### After a Biological Attack



Getting Informed in Section 1.1

systems. to pay attention to official instructions via radio, television, and emergency alert biological agents are the same as for any infectious disease. It is important for you The basic public health procedures and medical protocols for handling exposure to for a biological event may be handled differently to respond to increased demand. warnings and instructions on how to proceed. The delivery of medical services be alerted to potential exposure. If this is the case, pay close attention to all official In some situations, such as the case of the anthrax letters sent in 2001, people may





## **Chemical Threats**

Are You Ready?

cal agents also are difficult to produce. liver in lethal concentrations. Outdoors, the agents often dissipate rapidly. Chemieffect (2 to 48 hours). While potentially lethal, chemical agents are difficult to depeople and the environment. Some chemical agents may be odorless and tasteless. effects on people, animals, or plants. They can be released by bombs or sprayed Chemical agents are poisonous vapors, aerosols, liquids, and solids that have toxic They can have an immediate effect (a few seconds to a few minutes) or a delayed from aircraft, boats, and vehicles. They can be used as a liquid to create a hazard to

Also, the presence of many dead insects or birds may indicate a chemical agent becoming nauseated; or having a burning sensation in the nose, throat, and lungs people having difficulty breathing; experiencing eye irritation; losing coordination; release. A chemical attack could come without warning. Signs of a chemical release include

#### Q Protective Measures


## Before a Chemical Attack

threat: The following are guidelines for what you should do to prepare for a chemical

- Check your disaster supplies kit to make sure it includes:
- A roll of duct tape and scissors.
- plastic sheeting for each opening. in place. To save critical time during an emergency, pre-measure and cut the Plastic for doors, windows, and vents for the room in which you will shelter
- . the highest level. Choose an internal room to shelter, preferably one without windows and on

### **During a Chemical Attack**

The following are guidelines for what you should do in a chemical attack



- . Seek shelter in an internal room and take your disaster supplies kit.
- Seal the room with duct tape and plastic sheeting

Section 3.1 sealed rooms in Shelter safety for

Review

. Listen to your radio for instructions from authorities

If you are caught in or near a contaminated area, you should:

- Move away immediately in a direction upwind of the source.
- Find shelter as quickly as possible.




sequences. Do not leave the safety of a shelter to go outdoors to help others until Decontamination is needed within minutes of exposure to minimize health conauthorities announce it is safe to do so.

A person affected by a chemical agent requires immediate medical attention from a and assist in decontaminating others. professional. If medical help is not immediately available, decontaminate yourself

Decontamination guidelines are as follows:

- cal agents Use extreme caution when helping others who have been exposed to chemi-
- . eyeglasses or contact lenses. Put glasses in a pan of household bleach to deplastic bag and seal it. Decontaminate hands using soap and water. Remove clothing normally removed over the head should be cut off to avoid contact Remove all clothing and other items in contact with the body. Contaminated contaminate them, and then rinse and dry. with the eyes, nose, and mouth. Put contaminated clothing and items into a
- Flush eyes with water.
- . Gently wash face and hair with soap and water before thoroughly rinsing with water.
- not swab or scrape) with a cloth soaked in soapy water and rinse with clear Decontaminate other body areas likely to have been contaminated. Blot (do water.
- . Change into uncontaminated clothes. Clothing stored in drawers or closets is likely to be uncontaminated
- Proceed to a medical facility for screening and professional treatment

After a Chemical Attack



#### **Nuclear Blast**

4.5

ried by an intercontinental missile launched by a hostile nation or terrorist organiwave, and widespread radioactive material that can contaminate the air, water, and devices cause deadly effects when exploded, including blinding light, intense heat zation, to a small portable nuclear devise transported by an individual. All nuclear A nuclear blast is an explosion with intense light and heat, a damaging pressure and secondary fires caused by the destruction. (thermal radiation), initial nuclear radiation, blast, fires started by the heat pulse, ground surfaces for miles around. A nuclear device can range from a weapon car-

### Hazards of Nuclear Devices

geographical dispersion of hazard effects will be defined by the following: The extent, nature, and arrival time of these hazards are difficult to predict. The

- Size of the device. A more powerful bomb will produce more distant effects.
- extent of blast effects. Height above the ground the device was detonated. This will determine the
- tible to blast effects. to become radioactive and airborne than others. Flat areas are more suscep-Nature of the surface beneath the explosion. Some materials are more likely
- rival time of fallout; precipitation may wash fallout from the atmosphere Existing meteorological conditions. Wind speed and direction will affect ar-

#### **Radioactive Fallout**

residual nuclear radiation. This fallout material decays over a long period of time, and is the main source of particles and fall back to Earth. The phenomenon is called radioactive fallout. the heat diminishes, radioactive materials that have vaporized condense on the surface, millions of vaporized dirt particles also are drawn into the cloud. As air that forms the familiar mushroom cloud. When a blast occurs near the earth's cause the tremendous heat produced from a nuclear blast causes an up-draft of greater amounts of fallout than blasts that occur at higher altitudes. This is beresults in some fallout. Blasts that occur near the earth's surface create much the direct impacts, they may be affected by radioactive fallout. Any nuclear blast Even if individuals are not close enough to the nuclear blast to be affected by

exploded at ground level can be potentially deadly. of miles if the right conditions exist. Effects from even a small portable device Fallout from a nuclear explosion may be carried by wind currents for hundreds

measures. surface build-up of gritty dust and dirt should be a warning for taking protective will be announced through official warning channels. However, any increase in as floods or hurricanes. Monitoring can project the fallout arrival times, which makes radiological emergencies different from other types of emergencies, such senses. Radiation can only be detected by radiation monitoring devices. This Nuclear radiation cannot be seen, smelled, or otherwise detected by normal

#### **Electromagnetic** Pulse

affected. Although an EMP is unlikely to harm most people, it could harm those affected. equipment within 1,000 miles of a high-altitude nuclear detonation could be ances, and automobile or aircraft ignition systems. The damage could range atmosphere can create an electromagnetic pulse (EMP), a high-density electrical with pacemakers or other implanted electronic devices. from a minor interruption to actual burnout of components. Most electronic antennas. This includes communication systems, computers, electrical appli-An EMP can seriously damage electronic devices connected to power sources or field. An EMP acts like a stroke of lightning but is stronger, faster, and shorter. In addition to other effects, a nuclear weapon detonated in or above the earth's Battery-powered radios with short antennas generally would not be



## **Protection from a Nuclear Blast**

by experts to be less likely today. However, terrorism, by nature, is unpredictable The danger of a massive strategic nuclear attack on the United States is predicted

ing shelter in an underground area or in the middle of a large building advised to evacuate or they could decide on their own to evacuate to an area not If there were threat of an attack, people living near potential targets could be considered a likely target. Protection from radioactive fallout would require tak-

In general, potential targets include:

- Strategic missile sites and military bases.
- Centers of government such as Washington, DC, and state capitals.
- Important transportation and communication centers
- Manufacturing, industrial, technology, and financial centers
- Petroleum refineries, electrical power plants, and chemical plants.

.

Major ports and airfields.

Terrorism

4.5

shielding, and time. The three factors for protecting oneself from radiation and fallout are distance,

- roof. significant fallout particles would collect. Flat roofs collect fallout particles so more protection than the first floor of a building. A floor near the middle of the top floor is not a good choice, nor is a floor adjacent to a neighboring flat a high-rise may be better, depending on what is nearby at that level on which ter. An underground area such as a home or office building basement offers Distance -- the more distance between you and the fallout particles, the bet-
- bricks, books and earth-between you and the fallout particles, the better. **Shielding** — the heavier and denser the materials—thick walls, concrete,
- Time percent of its initial radiation level. people during the first two weeks, by which time it has declined to about 1 able to leave the fallout shelter. Radioactive fallout poses the greatest threat to - fallout radiation loses its intensity fairly rapidly. In time, you will be

the more shielding, distance, and time you can take advantage of, the better. Remember that any protection, however temporary, is better than none at all, and

#### മ R Protective Measures

### Before a Nuclear Blast



supplies; see Section 1.2

To prepare for a nuclear blast, you should do the following:

- . designated as fallout shelters. If none have been designated, make your own high-rise buildings, as well as subways and tunnels. would include basements or the windowless center area of middle floors in list of potential shelters near your home, workplace, and school. These places Find out from officials if any public buildings in your community have been
- If you live in an apartment building or high-rise, talk to the manager about occupants until it is safe to go out. the safest place in the building for sheltering and about providing for building
- equate for up to two weeks. During periods of increased threat increase your disaster supplies to be ad-

Taking shelter during a nuclear blast is absolutely necessary. There are two kinds of shelters—blast and fallout. The following describes the two kinds of shelters:

- **Blast shelters** are specifically constructed to offer some protection against blast pressure, initial radiation, heat, and fire. But even a blast shelter cannot withstand a direct hit from a nuclear explosion.
- absorb the radiation given off by fallout particles provided that the walls and roof are thick and dense enough to protecting against fallout. They can be any protected space, Fallout shelters do not need to be specially constructed for

Shelter requirements in Section 1.4

The following are guidelines for what to do in the event of a nuclear explosion.

**During a Nuclear Blast** 

If an attack warning is issued:

- Take cover as quickly as you can, below ground if possible, and stay there until instructed to do otherwise.
- Listen for official information and follow instructions.

If you are caught outside and unable to get inside immediately:

- Do not look at the flash or fireball—it can blind you.
- Take cover behind anything that might offer protection.
- . away, it could take 30 seconds or more for the blast wave to hit. Lie flat on the ground and cover your head. If the explosion is some distance
- Take shelter as soon as you can, even if you are many miles from ground zero ing, and time. hundreds of miles. Remember the three protective factors: Distance, shieldwhere the attack occurred--radioactive fallout can be carried by the winds for

proximity to the ground. Therefore, it might be necessary for those in the areas However, the amount of fallout will vary based on the size of the device and its with highest radiation levels to shelter for up to a month Decay rates of the radioactive fallout are the same for any size nuclear device

sion, and 80 percent of the fallout would occur during the first 24 hours The heaviest fallout would be limited to the area at or downwind from the explo-

shelter within a few days and, if necessary, evacuate to unaffected areas People in most of the areas that would be affected could be allowed to come out of

#### After a Nuclear Blast

Review

Shelter requirements in Section 1.4

### **Returning to Your Home**

Remember the following:

- ٠ Keep listening to the radio and television for news about what to do, where to go, and places to avoid.
- Stay away from damaged areas. Stay away from areas marked "radiation hazard" or "HAZMAT." Remember that radiation cannot be seen, smelled, or otherwise detected by human senses.

Follow the instructions for returning home in Part 5.



and are easier to obtain than weapons grade uranium or plutonium knowledge to build and deploy compared to a nuclear device. Also, the radioactive general area. Such RDDs appeal to terrorists because they require limited technical designed to scatter dangerous and sub-lethal amounts of radioactive material over a ered far more likely than use of a nuclear explosive device. An RDD combines a materials in RDDs are widely used in medicine, agriculture, industry, and research, conventional explosive device—such as a bomb—with radioactive material. It is Terrorist use of an RDD--often called "dirty nuke" or "dirty bomb"--is consid-

of deaths and injuries from an RDD might not be substantially greater than from a was evacuated or how successful people were at sheltering-in-place, the number active materials. Depending on the speed at which the area of the RDD detonation conventional bomb explosion. economic disruption. Some devices could cause fatalities from exposure to radio-The primary purpose of terrorist use of an RDD is to cause psychological fear and

up efforts. affected could be placed off-limits to the public for several months during cleanthe local meteorological conditions—primarily wind and precipitation. The area depend on the sophistication and size of the conventional bomb, the type of radioactive material used, the quality and quantity of the radioactive material, and The size of the affected area and the level of destruction caused by an RDD would

# **Take Protective Measures**

#### Before an RDD Event



to do and when is important. Take the same protective measures you would for tack by terrorists using an RDD, so being prepared in advance and knowing what There is no way of knowing how much warning time there will be before an atfallout resulting from a nuclear blast.



#### **During an RDD Event**

exposure. If you manage to avoid breathing radioactive dust, your proximity to the contaminants in the air, breathe though the cloth of your shirt or coat to limit your shelter from any location (indoors or outdoors) and there is visual dust or other cautions. As with any radiation, you want to avoid or limit exposure. This is particuradioactive particles may still result in some radiation exposure. larly true of inhaling radioactive dust that results from the explosion. As you seek in an urban setting or near other likely terrorist targets—and take the proper pre-It would be safer to assume radiological contamination has occurredscene. Whether you are indoors or outdoors, home or at work, be extra cautious. will not be known until trained personnel with specialized equipment are on the While the explosive blast will be immediately obvious, the presence of radiation —particularly

safe shelter. Otherwise, if you are: If the explosion or radiological release occurs inside, get out immediately and seek

Outc	Outdoors	Indoors
•	Seek shelter indoors	• If you have time, turn off ventilation
	immediately in the nearest undamaged building	and heating systems, close windows, vents fireplace damners exhaust fans
•	If appropriate shelter is not	and clothes dryer vents. Retrieve your
0)	available, move as rapidly as	disaster supplies kit and a battery-
<u>ب</u> .	is safe upwind and away from	powered radio and take them to your
_	the location of the explosive	shelter room.
<u> </u>	blast. Then, seek appropriate	<ul> <li>Seek shelter immediately, preferably</li> </ul>
0	shelter as soon as possible.	underground or in an interior room of
•	Listen for official instructions	a building, placing as much distance
0	and follow directions.	and dense shielding as possible
		between you and the outdoors where
		the radioactive material may be.
		<ul> <li>Seal windows and external doors</li> </ul>
		that do not fit snugly with duct tape
		to reduce infiltration of radioactive
		particles. Plastic sheeting will not
		provide shielding from radioactivity
		nor from blast effects of a nearby
		explosion.
		<ul> <li>Listen for official instructions and</li> </ul>
		follow directions.

isolate the bag away from you and others), and shower thoroughly with soap and should decontaminate themselves. To do this, remove and bag your clothing (and After finding safe shelter, those who may have been exposed to radioactive material water. Seek medical attention after officials indicate it is safe to leave shelter.

rial released, and meteorological conditions. Thus, radiation dissipation rates vary, Contamination from an RDD event could affect a wide area, depending on the larger localized concentration of radioactive material. but radiation from an RDD will likely take longer to dissipate due to a potentially amount of conventional explosives used, the quantity and type of radioactive mate-

Follow these additional guidelines after an RDD event:

- Continue listening to your radio or watch the television for instructions from local officials, whether you have evacuated or sheltered-in-place.
- Do not return to or visit an RDD incident location for any reason.
- Follow the instructions for recovering from a disaster in Part 5.

#### After an RDD Event

**Terrorism** 

### **Terrorism Knowledge** Check

# Answer the following questions. Check your responses with the answer key below.

- What would you do, if you were at work and...
- a. there was an explosion in the building?
- Ŀ. you received a package in the mail that you considered suspicious?
- <u>.</u> you received a telephone call that was a bomb threat?
- $\sim$ If caught outside during a nuclear blast, what should you do?
- ω What are the three key factors for protection from nuclear blast and fallout?
- 4 If you take shelter in your own home, what kind of room would be safest during a chemical or
- biological attack?

In case of a chemical attack, what extra items should you have in your disaster supplies kit?

An interior room on the uppermost level, preferably without windows

Plastic sheeting, duct tape, and scissors.

Э

172

Shelter from falling debris under a desk and then follow evacuation procedures

Keep the caller on the line and record everything that was said

Don't look at the flash

2.

Clear the area and notify the police immediately

Answer Key

<del>я</del>. Ď, ن

÷


Take cover behind anything that offers protection

Lay flat on the ground

Cover your head

Distance, shielding, time

ω. <del>1</del>. ...



### Homeland Security Advisory System 4

work and comprehensive means to disseminate information regarding the risk of terrorist acts to the following: The Homeland Security Advisory System was designed to provide a national frame-

- Federal, state, and local authorities
- The private sector
- The American people

ity during a period of heightened alert. "protective measures" to further reduce vulnerability or increase response capabilor industrial sector. At each threat condition, government entities and the private ability of an attack occurring and its potential gravity. Threat conditions may be tions" that increase as the risk of the threat increases. Risk includes both the probsector, including businesses and schools, would implement a corresponding set of assigned for the entire nation, or they may be set for a particular geographic area This system provides warnings in the form of a set of graduated "threat condi-

color. Assigned threat conditions will be reviewed at regular intervals to determine There are five threat conditions, each identified by a description and corresponding whether adjustments are warranted.

## **Threat Conditions and Associated** Protective Measures

sector, and the public can take. condition are some suggested protective measures that the government, the private of alert appropriate to the increasing risk of terrorist attacks. Beneath each threat There is always a risk of a terrorist threat. Each threat condition assigns a level

In each case, as threat conditions escalate, protective measures are added to those already taken in lower threat conditions. The measures are cumulative



## Security Advisory System Citizen Guidance on the Homeland

Low Risk

- Develop a family emergency plan. Share it with family and friends, and practice the plan. Visit www.Ready.gov for help creating a plan.
- Create an "Emergency Supply Kit" for your household

GREEN

- Now" by calling 1-800-BE-READY. Be informed. Visit www.Ready.gov or obtain a copy of "Preparing Makes Sense, Get Ready
- Police Service, Neighborhood Watch or others, and donate your time. Consider complet-Examine volunteer opportunities in your community, such as Citizen Corps, Volunteers in Know where to shelter and how to turn off utilities (power, gas, and water) to your home
- ing an American Red Cross first aid or CPR course , or Community Emergency Response Team (CERT) course

#### Guarded Risk

- Complete recommended steps at level green.
- Review stored disaster supplies and replace items that are outdated

BLUE

Be alert to suspicious activity and report it to proper authorities.

#### Elevated Risk

- Complete recommended steps at levels green and blue
- Ensure disaster supplies are stocked and ready.
- Check telephone numbers in family emergency plan and update as necessary.
- Develop alternate routes to/from work or school and practice them.
- Continue to be alert for suspicious activity and report it to authorities.

#### High Risk

- Complete recommended steps at lower levels.
- Exercise caution when traveling, pay attention to travel advisories

ORANGE

- Review your family emergency plan and make sure all family members know what to do.
- Be Patient. Expect some delays, baggage searches and restrictions at public buildings
- Check on neighbors or others that might need assistance in an emergency

#### Severe Risk

- Complete all recommended actions at lower levels.
- Listen to local emergency management officials.

RED

- Stay tuned to TV or radio for current information/instructions.
- Be prepared to shelter or evacuate, as instructed
- Expect traffic delays and restrictions.
- Provide volunteer services only as requested.
- Contact your school/business to determine status of work day.

\*Developed with input from the American Red Cross.

## **Knowledge Check**

By following the instructions in this guide, you should now have the following:

÷

- . A family disaster plan that sets forth what you and your family need to do to prepare for and respond to all types of hazards.
- A disaster supplies kit filled with items you would need to sustain you and your family for at least three days, maybe more.
- . Knowledge of your community warning systems and what you should do when these are activated.
- An understanding of why evacuations are necessary and what you would need to do in the case of an evacuation.
- ٠ Identification of where the safest shelters are for the various hazards

# pared for each of the five levels. Compare the above actions with the personal action guidelines for each of the threat levels. Determine how well you are pre-

- 2. What is the current threat level? \_\_\_\_\_
- Hint: To determine the current threat level, check your cable news networks or visit www.dhs.gov. Keep actions you need to take. your family informed when changes in the threat level occur, and go over the personal

# For More Information

If you require more information about any of these topics, the following resource may be helpful.

#### Publications

#### **American Red Cross**

hsas.html population. Available online at www.redcross.org/services/disaster/beprepared/ Neighborhoods, Schools, and Businesses. American Red Cross: Homeland Security Advisory System Recommendations for Individuals, Families, Explanation of preparedness activities for each



### from Disaster Recovering 5

Safety
--------

advice on steps to take after disaster strikes in order to begin getting your home, your community, and your life back to normal.	cess it makes the process faster and less stressful. This section offers some general	are mental and physical well-being. If assistance is available, knowing how to ac-	Recovering from a disaster is usually a gradual process. Safety is a primary issue, as
---	---	--	--

	advice on steps to take after disaster strikes in order to begin getting your home, your community, and your life back to normal.
	Your first concern after a disaster is your family's health and safety. You need to consider possible safety issues and monitor family health and well-being.
Aiding the Injured	Check for injuries. Do not attempt to move seriously injured persons unless they are in immediate danger of death or further injury. If you must move an uncon- scious person, first stabilize the neck and back, then call for help immediately.
	• If the victim is not breathing, carefully position the victim for artificial respiration, clear the airway, and commence mouth-to-mouth resuscitation.
	• Maintain body temperature with blankets. Be sure the victim does not be- come overheated.
	• Never try to feed liquids to an unconscious person.
Health	• Be aware of exhaustion. Don't try to do too much at once. Set priorities and pace yourself. Get enough rest.
	Drink plenty of clean water.
	• Eat well.
	<ul> <li>Wear sturdy work boots and gloves.</li> </ul>
	• Wash your hands thoroughly with soap and clean water often when working in debris.
Safety Issues	• Be aware of new safety issues created by the disaster. Watch for washed out roads, contaminated buildings, contaminated water, gas leaks, broken glass, damaged electrical wiring, and slippery floors.
	<ul> <li>Inform local authorities about health and safety issues, including chemical spills, downed power lines, washed out roads, smoldering insulation, and dead animals.</li> </ul>

## **Returning Home**

Returning home can be both physically and mentally challenging. Above all, use caution.

General tips:

- dates and news reports. Keep a battery-powered radio with you so you can listen for emergency up-
- tery may produce a spark that could ignite leaking gas, if present Note: The flashlight should be turned on outside before entering Use a battery-powered flash light to inspect a damaged home -the bat-
- Watch out for animals, especially poisonous snakes. Use a stick to poke through debris.
- Use the phone only to report life-threatening emergencies.
- trical wires; and weakened walls, bridges, roads, and sidewalks. Stay off the streets. If you must go out, watch for fallen objects; downed elec-



Before You Enter Your Yome

Recovering from Disaster

structural damage. If you have any doubts about safety, have your residence inspected by a qualified building inspector or structural engineer before entering Walk carefully around the outside and check for loose power lines, gas leaks, and

Do not enter if:

- You smell gas.
- Floodwaters remain around the building.
- Your home was damaged by fire and the authorities have not declared it safe

not do. Enter the home carefully and check for damage. Be aware of loose boards home: and slippery floors. The following items are other things to check inside your When you go inside your home, there are certain things you should and should

**Going Inside Your Home** 

- on. Do not smoke or use oil, gas lanterns, candles, or torches for lighting flammable materials present. inside a damaged home until you are sure there is no leaking gas or other the gas supply at the main valve, you will need a professional to turn it back if you can. Call the gas company from a neighbor's residence. If you shut off window and leave immediately. Turn off the main gas valve from the outside, Natural gas. If you smell gas or hear a hissing or blowing sound, open a
- they're safe to use. You may want to have an electrician inspect your wiring. the building and call for help. Do not turn on the lights until you are sure tricity at the main fuse box or circuit breaker. If the situation is unsafe, leave wet, standing in water, or unsure of your safety. If possible, turn off the elec-Sparks, broken or frayed wires. Check the electrical system unless you are
- lapse, leave immediately. Roof, foundation, and chimney cracks. If it looks like the building may col-
- appliances checked by a professional before using them again. Also, have the electrical system checked by an electrician before turning the power back on. box or circuit breaker. Then, unplug appliances and let them dry out. Have Appliances. If appliances are wet, turn off the electricity at the main fuse
- Water and sewage systems. If pipes are damaged, turn off the main water drinking. contaminated. Pump out wells and have the water tested by authorities before valve. Check with local authorities before using any water; the water could be Do not flush toilets until you know that sewage lines are intact.
- Food and other supplies. Throw out all food and other supplies that you suspect may have become contaminated or come in to contact with floodwater.
- one third of the water per day) to avoid damage. The walls may collapse and ground is still waterlogged the floor may buckle if the basement is pumped out while the surrounding Your basement. If your basement has flooded, pump it out gradually (about
- **Open cabinets.** Be alert for objects that may fall.
- taminated by raw sewage, bacteria, or chemicals. Also clean salvageable items. Clean up household chemical spills. Disinfect items that may have been con-
- repair and cleaning costs. Call your insurance agent. Take pictures of damages. Keep good records of



Disaster and life threatening situations will exacerbate the unpredictable nature of wild animals. To protect yourself and your family, learn how to deal with wildlife.

#### Guidelines

- local animal control office or wildlife resource office. Do not approach or attempt to help an injured or stranded animal. Call your
- Do not corner wild animals or try to rescue them. Wild animals will likely fire, and so forth. feel threatened and may endanger themselves by dashing off into floodwaters,
- animals such as snakes, opossums, and raccoons often seek refuge from Do not approach wild animals that have taken refuge in your home. Wild local animal control office or wildlife resource office. not attempt to capture or handle the animal. Should the animal stay, call your provide another escape route and the animal will likely leave on its own. Do water recedes. If you encounter animals in this situation, open a window or floodwaters on upper levels of homes and have been known to remain after
- health risks. Contact your local emergency management office or health de-Do not attempt to move a dead animal. Animal carcasses can present serious partment for help and instructions.
- If bitten by an animal, seek immediate medical attention.



## Seeking Disaster Assistance

cy housing, food, first aid, clothing, and financial assistance. The following section sion reports and other media sources for information about where to get emergenprovides general information about the kinds of assistance that may be available. Throughout the recovery period, it is important to monitor local radio or televi-

Direct Assistance	Direct assistance to individuals and families may come from any number of organizations, including:
	American Red Cross.
	Salvation Army.
	Other volunteer organization.
	These organizations provide food, shelter, supplies and assist in clean-up efforts.
The Federal Role	In the most severe disasters, the federal government is also called in to help indi- viduals and families with temporary housing, counseling (for post-disaster trau- ma), low-interest loans and grants, and other assistance. The federal government also has programs that help small businesses and farmers.
	Most federal assistance becomes available when the President of the United States declares a "Major Disaster" for the affected area at the request of a state governor. FEMA will provide information through the media and community outreach about federal assistance and how to apply.
	Coping with Disaster
	The emotional toll that disaster brings can sometimes be even more devastating than the financial strains of damage and loss of home, business, or personal prop- erty.
Understand Disaster Events	• Everyone who sees or experiences a disaster is affected by it in some way.
	<ul> <li>It is normal to feel anxious about your own safety and that of your family and close friends.</li> </ul>
	• Profound sadness, grief, and anger are normal reactions to an abnormal event.
	<ul> <li>Acknowledging your feelings helps you recover.</li> <li>Economic on your strengths and abilities helps you head</li> </ul>
	<ul> <li>Accepting help from community programs and resources is healthy.</li> </ul>
	• Everyone has different needs and different ways of coping.
	• It is common to want to strike back at people who have caused great pain.
	Children and older adults are of special concern in the aftermath of disasters. Even individuals who experience a disaster "second hand" through exposure to extensive media coverage can be affected.
	Contact local faith-based organizations, voluntary agencies, or professional coun- selors for counseling. Additionally, FEMA and state and local governments of the affected area may provide crisis counseling assistance.

management assistance: When adults have the following signs, they might need crisis counseling or stress

- Difficulty communicating thoughts.
- Difficulty sleeping.
- Difficulty maintaining balance in their lives.
- Low threshold of frustration.
- Increased use of drugs/alcohol.
- Limited attention span.
- Poor work performance.
- Headaches/stomach problems.
- Tunnel vision/muffled hearing.
- Colds or flu-like symptoms.
- Disorientation or confusion.
- Difficulty concentrating.
- Reluctance to leave home.
- Depression, sadness.
- Feelings of hopelessness.
- Mood-swings and easy bouts of crying.
- Overwhelming guilt and self-doubt.
- Fear of crowds, strangers, or being alone.

Easing Disaster-Related Stress

Recovering from Disaster

The following are ways to ease disaster-related stress:

- Talk with someone about your feelings--anger, sorrow, and other emotions-
- even though it may be difficult.
- Seek help from professional counselors who deal with post-disaster stress.
- cause you feel you cannot help directly in the rescue work. Do not hold yourself responsible for the disastrous event or be frustrated be-
- . eating, rest, exercise, relaxation, and meditation Take steps to promote your own physical and emotional healing by healthy
- Maintain a normal family and daily routine, limiting demanding responsibilities on yourself and your family.
- Spend time with family and friends

٠

Participate in memorials.


185

- . Use existing support groups of family, friends, and religious institutions
- comforting and updating your family disaster plan. Doing these positive actions can be Ensure you are ready for future events by restocking your disaster supplies kits

### Helping Children Cope with Disaster

or has heard it discussed by adults, it is important for parents and teachers to be informed and ready to help if reactions to stress begin to occur. child has personally experienced trauma, has merely seen the event on television, Disasters can leave children feeling frightened, confused, and insecure. Whether a

anger, aggression, school problems, or withdrawal. Some children who have only problems. Younger children may return to earlier behavior patterns, such as bedindirect contact with the disaster but witness it on television may develop distress Children may respond to disaster by demonstrating fears, sadness, or behavioral wetting, sleep problems, and separation anxiety. Older children may also display



#### Who is at Risk?

enduring psychological distress as a function of three major risk factors: tions to "abnormal events." A smaller number of children can be at risk for more For many children, reactions to disasters are brief and represent normal reac-

- danger Direct exposure to the disaster, such as being evacuated, observing injuries or death of others, or experiencing injury along with fearing one's life is in
- Loss/grief: This relates to the death or serious injury of family or friends
- On-going stress from the secondary effects of disaster, such as temporarily family to pre-disaster life and living conditions. parental unemployment, and costs incurred during recovery to return the living elsewhere, loss of friends and social networks, loss of personal property,

## What Creates Vulnerabilities in Children?

of the disaster may cause upsetting feelings to return. Having a prior history of the disaster such as high winds, smoke, cloudy skies, sirens, or other reminders ish over time. For those that were directly exposed to the disaster, reminders of secondary problems such as loss of home, moves, etc., symptoms usually dimin. temporary. In the absence of severe threat to life, injury, loss of loved ones, or In most cases, depending on the risk factors above, distressing responses are some type of traumatic event or severe stress may contribute to these feelings.

plan. dence in children before a disaster is to engage and involve them in preparing a and plans for coping. Parents are almost always the best source of support for disasters less traumatic for children by taking steps to manage their own feelings family disaster plan. After a disaster, children can contribute to a family recovery children in disasters. cope. They can detect adults' fears and sadness. Parents and adults can make Children's coping with disaster or emergencies is often tied to the way parents One way to establish a sense of control and to build confi-

## A Child's Reaction to Disaster by Age

Below are common reactions in children after a disaster or traumatic event

can retain memories of particular sights, sounds, or smells. Infants may react event that occurred several years in the past and was seemingly forgotten. As children get older, their play may involve acting out elements of the traumatic cuddled. The biggest influence on children of this age is how their parents cope to trauma by being irritable, crying more than usual, or wanting to be held and they do not have the words to describe the event or their feelings. However, they Birth through 2 years. When children are pre-verbal and experience a trauma,

erless in the face of an overwhelming event. Because of their age and small size, activities may reenact the incident or the disaster over and over again. ible or permanent. In the weeks following a traumatic event, preschoolers' play grasp the concept of permanent loss. They can see consequences as being reversfear and insecurity about being separated from caregivers. Preschoolers cannot they lack the ability to protect themselves or others. As a result, they feel intense Preschool—3 through 6 years. Preschool children often feel helpless and pow-

ized fear, or specific fears of the disaster happening again, guilt over action or of playing rescuer. inaction during the disaster, anger that the event was not prevented, or fantasies tion from peers. They may display a wide range of reactionsic performance may decline. At school, children may hear inaccurate informapreoccupation can interfere with the child's concentration at school and academwith the details of a traumatic event and want to talk about it continually. This derstand the permanence of loss. Some children become intensely preoccupied School age -7 through 10 years. The school-age child has the ability to un--sadness, general-

use. may feel overwhelmed by intense emotions and yet feel unable to discuss them older, they develop a more sophisticated understanding of the disaster event. Pre-adolescence to adolescence—11 through 18 years. As children grow with others trauma, the view of the world can seem more dangerous and unsafe. A teenager activities. dangerous, risk-taking behaviors, such as reckless driving, or alcohol or drug Their responses are more similar to adults. Teenagers may become involved in Others can become fearful of leaving home and avoid previous levels of Much of adolescence is focused on moving out into the world. After a

Review

See Section 1: Basic preparedness

## Meeting the Child's Emotional Needs

and feelings about the incident. Clarify misunderstandings about risk and adults. Adults should encourage children and adolescents to share their thoughts sion of concrete plans for safety. sense of calm by validating children's concerns and perceptions and with discusdanger by listening to children's concerns and answering questions. Maintain a Children's reactions are influenced by the behavior, thoughts, and feelings of

of what happened. has difficulty expressing feelings, allow the child to draw a picture or tell a story others; decide what level of information your particular child needs. If a child adult. Some children are comforted by knowing more or less information than event, answer them simply without the elaboration needed for an older child or Listen to what the child is saying. If a young child is asking questions about the

disaster, children are most afraid that: Try to understand what is causing anxieties and fears. Be aware that following a

- The event will happen again.
- Someone close to them will be killed or injured.
- They will be left alone or separated from the family.

## **Reassuring Children After a Disaster**

Suggestions to help reassure children include the following:

- Personal contact is reassuring. Hug and touch your children.
- Calmly provide factual information about the recent disaster and current plans for insuring their safety along with recovery plans.
- Encourage your children to talk about their feelings
- Spend extra time with your children such as at bedtime.
- Re-establish your daily routine for work, school, play, meals, and rest.
- . are helping to restore family and community life Involve your children by giving them specific chores to help them feel they
- Praise and recognize responsible behavior.
- Understand that your children will have a range of reactions to disasters.
- Encourage your children to help update your a family disaster plan

relationships, it may be appropriate to talk to a professional. You can get professpecializing in children's needs, or a member of the clergy. sional help from the child's primary care physician, a mental health provider if they cause interference with daily behavior at school, at home, or with other but your child continues to exhibit stress, if the reactions worsen over time, or If you have tried to create a reassuring environment by following the steps above,

## Monitor and Limit Your Family's Exposure to the Media

ist event where significant property damage and loss of life has occurred. Paranxiety in children. This is particularly true for large-scale disasters or a terrorbelieve the event is recurring over and over. ticularly for younger children, repeated images of an event may cause them to News coverage related to a disaster may elicit fear and confusion and arouse

monitoring and appropriately limiting their own exposure to anxiety-provoking age communication and provide explanations. This may also include parent's or news about the disaster are shown, parents should be with them to encour-If parents allow children to watch television or use the Internet where images information

### Use Support Networks

or when a disaster strikes, they can be supported and helped to manage their social support systems of family, friends, community organizations and agencies, Parents help their children when they take steps to understand and manage to their own needs and have a plan for their own support. children in difficult times. But to support their children, parents need to attend able to support them. Parents are almost always the best source of support for reactions. As a result, parents will be more available to their children and better build their own unique social support systems so that in an emergency situation faith-based institutions, or other resources that work for that family. Parents can their own feelings and ways of coping. They can do this by building and using

prepared, they cope better and so do children. needed to meet basic needs after disaster. Preparation helps; when people feel do happen, and provides an opportunity to identify and collect the resources Preparing for disaster helps everyone in the family accept the fact that disasters

## **Helping Others**

after a disaster. People want to help. Here are some general guidelines on helping others after a disaster: The compassion and generosity of the American people is never more evident than

- specifically requested, stay away from disaster areas. Volunteer! Check with local organizations or listen to local news reports for information about where volunteers are needed. Note: Until volunteers are
- . been affected and emergency items are in short supply. Bring your own food, water, and emergency supplies to a disaster area if you are needed there. This is especially important in cases where a large area has
- get it to the people who need it most. Give a check or money order to a recognized disaster relief organization. These groups are organized to process checks, purchase what is needed, and

- Do not drop off food, clothing, or any other item to a government agency or disaster relief organization unless a particular item has been requested. donated items. Normally, these organizations do not have the resources to sort through the
- will be left unused. going to be distributed. Without sufficient planning, much needed supplies is going, how it's going to get there, who is going to unload it, and how it is food) rather than a mix of different items. Determine where your donation Donate a quantity of a given item or class of items (such as nonperishable



## For More Information

resources that may be helpful. If you require more information about any of these topics, the following are

#### **FEMA Publications**

children for disaster and how to lessen the emotional effects of disaster. Helping Children Cope with Disasters. L-196. Provides information about how to prepare

organizations. When Disaster Strikes. L-217. Provides information about donations and volunteer

Available online at www.fema.gov/hazards/floods/lib234.shtm by-step guide to repairing your home and how to get help after a flood disaster. Repairing Your Flooded Home. FEMA 234. This 362-page publication provides a step-

and getting help after a flood. Available online at www.fema.gov/hazards/floods/ After a Flood: The First Steps. L 198. Tips for staying healthy, cleaning up and repairing. aftrfld.shtm

### Appendix A: Water Conservation Tips

#### General

# Never pour water down the drain when there may be another use for it. Use

- 2,700 gallons of water per year! Repair dripping faucets by replacing washers. One drop per second wastes it to water your indoor plants or garden
- Check all plumbing for leaks. Have leaks repaired by a plumber.
- Retrofit all household faucets by installing aerators with flow restrictors.
- Install an instant hot water heater on your sink.
- Insulate your water pipes to reduce heat loss and prevent them from breaking.
- Install a water-softening system only when the minerals in the water would
- damage your pipes. Turn the softener off while on vacation.Choose appliances that are more energy and water efficient.

#### Bathroom

- older models. Note: In many areas, low-volume units are required by law. Consider purchasing a low-volume toilet that uses less than half the water of
- toilet flow (do not use a brick, it may dissolve and loose pieces may cause ed to flush. Place a one-gallon plastic jug of water into the tank to displace Install a toilet displacement device to cut down on the amount of water needdamage to the internal parts). Be sure installation does not interfere with the
- operating parts.
  Replace your showerhead with an ultra-low-flow version.
- ٠ Place a bucket in the shower to catch excess water for watering plants.
- ٠ similar waste in the trash rather than the toilet. Avoid flushing the toilet unnecessarily. Dispose of tissues, insects, and other
- Avoid taking baths—take short showers—turn on water only to get wet and lather and then again to rinse off.
- Avoid letting the water run while brushing your teeth, washing your face, or shaving.

#### Kitchen

- "light wash" feature, if available, to use less water. Operate automatic dishwashers only when they are fully loaded. Use the
- Hand wash dishes by filling two containersother with rinse water containing a small amount of chlorine bleach -one with soapy water and the
- tap. Clean vegetables in a pan filled with water rather than running water from the
- . simply dispose of food in the garbage. (Kitchen sink disposals require a lot of Start a compost pile as an alternate method of disposing of food waste or water to operate properly).
- ٠ Store drinking water in the refrigerator. Do not let the tap run while you are waiting for water to cool.

#### Indoor Water Conservation Tips

- Avoid wasting water waiting for it to get hot. Capture it for other uses such as plant watering or heat it on the stove or in a microwave
- dishes do not have to be rinsed before washing) particles of food. (Most dishwashers can clean soiled dishes very well, so Avoid rinsing dishes before placing them in the dishwasher; just remove large
- oven. overnight in the refrigerator or use the defrost setting on your microwave Avoid using running water to thaw meat or other frozen foods. Defrost food

#### Laundry

Operate automatic clothes washers only when they are fully loaded or set the water level for the size of your load.

#### Outdoor Water Conservation Tips

#### General

- Check your well pump periodically. If the automatic pump turns on and off while water is not being used, you have a leak.
- established. Group plants together based on similar water needs. vive a dry period without watering. Small plants require less water to become Once established, they do not need water as frequently and usually will sur-Plant native and/or drought-tolerant grasses, ground covers, shrubs, and trees.
- and drip irrigation and soaker hoses are examples of efficient devices. Install irrigation devices that are the most water efficient for each use. Micro
- compete with landscape plants for water. Use mulch to retain moisture in the soil. Mulch also helps control weeds that
- water. Avoid purchasing recreational water toys that require a constant stream of
- recycled water. Avoid installing ornamental water features (such as fountains) unless they use

#### Car Washing

- Use a shut-off nozzle that can be adjusted down to a fine spray on your hose
- park on the grass so that you will be watering it at the same time Use a commercial car wash that recycles water. If you wash your own car,

#### Lawn Care

- week. for up to two weeks. Most of the year, lawns only need one inch of water per Avoid over watering your lawn. A heavy rain eliminates the need for watering
- . lawn to better absorb moisture. Water in several short sessions rather than one long one, in order for your
- areas. Position sprinklers so water lands on the lawn and shrubs and not on paved

- ٠ they operate properly. the lawn. Check sprinkler systems and timing devices regularly to be sure Avoid sprinklers that spray a fine mist. Mist can evaporate before it reaches
- ٠ holds soil moisture higher cut encourages grass roots to grow deeper, shades the root system, and Raise the lawn mower blade to at least three inches or to its highest level. A
- Plant drought-resistant lawn seed.
   Avoid over-fertilizing your lawn. A
- nitrogen. water. Apply fertilizers that contain slow-release, water-insoluble forms of Avoid over-fertilizing your lawn. Applying fertilizer increases the need for
- ٠ Use a broom or blower instead of a hose to clean leaves and other debris from your driveway or sidewalk.
- ٠ Avoid leaving sprinklers or hoses unattended. A garden hose can pour out 600 gallons or more in only a few hours.

#### Pool

- filter uses 180 to 250 gallons of water. Install a new water-saving pool filter. A single back flushing with a traditional
- Cover pools and spas to reduce evaporation of water.

## Appendix B: Disaster Supplies Checklists

The following list is to help you determine what to include in your disaster supplies kit that will meet your family's needs.

#### **First Aid Supplies**

Supplies			Work Call
	Home (V)	Vehicle (∀)	
Adhesive bandages, various sizes			
5" x 9" sterile dressing			
Conforming roller gauze bandage			
Triangular bandages			
3" x 3" sterile gauze pads			
4" x 4" sterile gauze pads			
Roll 3" cohesive bandage			
Germicidal hand wipes or waterless, alco- hol-based hand sanitizer			
Antiseptic wipes			
Pairs large, medical grade, non-latex gloves			
Tongue depressor blades			
Adhesive tape, 2" width			
Antibacterial ointment			
Cold pack			
Scissors (small, personal)			
Tweezers			
Assorted sizes of safety pins			
Cotton balls			
Thermometer			
Tube of petroleum jelly or other lubricant			
Sunscreen			
CPR breathing barrier, such as a face shield			
First aid manual			

## Non-Prescription and Prescription Medicine Kit Supplies

Aspirin and non-aspirin pain reliever
Anti-diarrhea medication
Antacid (for stomach upset)
Laxative
Vitamins
Prescriptions
Extra eyeglasses/contact lenses

## Sanitation and Hygiene Supplies

Item	Ś	Item	Ś
Washcloth and towel		Heavy-duty plastic garbage bags and ties for personal sanitation uses and toilet paper	
Towelettes, soap, hand sanitizer		Medium-sized plastic bucket with tight lid	
Tooth paste, toothbrushes		Disinfectant and household chlorine bleach	
Shampoo, comb, and brush		A small shovel for digging a latrine	
Deodorants, sunscreen		Toilet paper	
Razor, shaving cream			
Lip balm, insect repellent			
Contact lens solutions			
Mirror			
Feminine supplies			

### Equipment and Tools

			Battery-operated travel alarm clock
	Foods		Needles and thread
	Toys for kids		Paper, pens, and pencils
	Books		Work gloves
	Cards		Compass
	Games		Tube tent
	Comfort Items		Small canister, ABC-type fire extin- guisher
			Whistle
	Small cooking stove and a can of cooking fuel (if food must be cooked)		Plastic sheeting
	Resealable plastic bags		Duct tape and scissors
	Aluminum foil and plastic wrap		Shut-off wrench, pliers, shovel, and other tools
	Sugar, salt, pepper		Matches in a waterproof container (or waterproof matches)
	Household liquid bleach to treat drinking water		Signal flare
	All-purpose knife		Flashlight and extra batteries
	Mess kits or paper cups, plates, and plastic utensils		NOAA Weather Radio, if appropriate for your area
	Manual can opener		Portable, battery-powered radio or television and extra batteries
(イ)	Kitchen Items	(く)	Tools

#### Food and Water

Supplies	Home (√)	Home $(\sqrt[4]{})$ Vehicle $(\sqrt[4]{})$ Work $(\sqrt[4]{})$	Work (ଏ)
Water			
Ready-to-eat meats, fruits, and vegetables			
Canned or boxed juices, milk, and soup			
High-energy foods such as peanut butter, jelly, low-sodium crackers, granola bars, and trail mix.			
Vitamins			
Special foods for infants or persons on special diets			
Cookies, hard candy			
Instant coffee			
Cereals			
Powdered milk			

## **Clothes and Bedding Supplies**

Item	(イ)	(く)	(イ)	(\/)
Complete change of clothes				
Sturdy shoes or boots				
Rain gear				
Hat and gloves				
Extra socks				
Extra underwear				
Thermal underwear				
Sunglasses				
Blankets/sleeping bags and pillows				

#### Documents and Keys

## Make sure you keep these items in a watertight container

Item	Stored ( $$ )
Personal identification	
Cash and coins	
Credit cards	
Extra set of house keys and car keys	
Copies of the following:	
Birth certificate	
Marriage certificate	
Driver's license	
Social Security cards	
• Passports	
• Wills	
• Deeds	
<ul> <li>Inventory of household goods</li> </ul>	
Insurance papers	
Immunization records	
Bank and credit card account numbers	
Stocks and bonds	
Emergency contact list and phone numbers	
Map of the area and phone numbers of places you could go	

### Appendix C:



# Homeland Family Communications Plan Security

Your family may not be together when disaster strikes, so plan how you will contact one another and review what you will do in different situations.

Fill out the following information for each family member and keep it up to date.	Email:	Out-of-State Contact Name:
ly member and keep it up to date.	Telephone Number:	Telephone Number:

Name:	Social Security Number:
Date of Birth:	Important Medical Information:
Name:	Social Security Number:
Date of Birth:	Important Medical Information:
Name:	Social Security Number:
Date of Birth:	Important Medical Information:
Name:	Social Security Number:
Date of Birth:	Important Medical Information:
Name:	Social Security Number:
Date of Birth:	Important Medical Information:
Name:	Social Security Number:
Date of Birth:	Important Medical Information:

Where to go in an emergency. Write down where your family spends the most time: work, school and other places you frequent. Schools, daycare providers, workplaces and apartment buildings should all have site-specific emergency plans.

Evacuation Location:	Phone Number:	Address:	School	Evacuation Location:	Phone Number:	Address:	School	Evacuation Location:	Phone Number:	Address:	School	Regional Meeting Place:	Neighborhood Meeting Place:	Phone Number:	Address:	Home
Evacuation Location:	Phone Number:	Address:	Other place you frequent:	Evacuation Location:	Phone Number:	Address:	Other place you frequent:	Evacuation Location:	Phone Number:	Address:	Work		Evacuation Location:	Phone Number:	Address:	Work

Important Information	Name	Telephone #	Policy #
Doctor(s):			
Other:			
Pharmacist:			
Medical Insurance:			
Homeowners/Rental Insurance:			
Veterinarian/Kennel (for pets):			

Other useful phone numbers: 9-1-1 for emergencies.

Police Non-Emergency Phone #:

Every family member should carry a copy of this important information:

